

FORT WORDEN, PT. WILSON (WASH.)

(LOCATED AT PORT TOWNSEND)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.
FORTIFICATION FILE			
TOPOGRAPHICAL MAP POINT WILSON, PUGET SOUND, WASHINGTON MADE UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. BY A ST. ENGR. EUGENE RICKSECKER, AUGUST 1896 (Ind. of Capt. Harry Taylor, Jan. 23, 1897 rel. Pur. of land - 14964/30)	bp	1896	Dr. 103 Sht. 10
Letr. of Capt. Harry Taylor, Nov. 17, 1896:-			
PROPERTY LINES POINT WILSON, PUGET SOUND, WASHINGTON. NOVEMBER 1896 (Shows proposed boundary of U.S. Mil. Res.) - 14964/18	tr	1896	Dr. 103 Sht. 12-1
Title same as 103-10 (Shows proposed position of gun & mortar batteries) - 14964/19	bp	1896	Dr. 103 Sht. 12-2
PROPERTY LINES POINT WILSON, WASHINGTON. PROPOSED BOUNDARY U.S. MILITARY RESERVATION SHOWN THUS - AUG. 18TH, 1897 (Letr. of Maj. John Willis, May 11, 1901 rel. to acquisition of Mil. Res. at Pt. Wilson - 14964/198)	bp	1897	Dr. 103 Sht. 12-3
GENERAL PLAN OF WHARF AT POINT WILSON, WASHINGTON. (Ltr. of Capt. Harry Taylor, June 29, 1898 - 26466/4)	tr	1898	Dr. 103 Sht. 21
Letr. of Capt. Harry Taylor, July 2, 1898 submtg. plans for 5 - 10" guns & 2 - 12" guns:-			
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GENERAL PLAN PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS, U.S.A. - 26466/10	tr	1898	Dr. 103 Sht. 22-1
DEFENSES OF PUGET SOUND AT POINT WILSON. DESIGNED BY LIEUT. M. L. WALKER, CORPS OF ENGRS U.S.A. UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS, U.S.A. JUNE 1898			
GUN EMPLACEMENTS AT POINT WILSON GENERAL OUTLINE PLANS "A" & "B". - 26466/13	tr	1898	Dr. 103 Sht. 22-2
GUN EMPLACEMENTS ON POINT WILSON. PLAN & S SHOTS. - 26466/12	tr	1898	Dr. 103 Sht. 22-3

FORT WORDEN, PT. WILSON (WASH.)

(LOCATED AT PORT TOWNSEND)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION

MAP MAP FILE NO.
TYPE DATE

FORTIFICATION FILE

DEFENSES OF PUGET SOUND GENERAL MAP OF
ADMIRALTY INLET SHOWING LOCATION OF ALL GUN BATTERIES
PROJECTED TO DATE AND FIELDS OF FIRE OF 5" R. F. G.
BATTERIES. PREPARED UNDER DIRECTION OF CAPTAIN
HARRY TAYLOR, CORPS OF ENGRS. U.S.A. BY 1ST LIEUT.
M. L. WALKER, CORPS OF ENGRS. NOV. 1898 (Plans for
battery at Pt. Wilson are identical to approve plans
of batteries at Marrowstone Pt. & Admiralty bend.
See Dr. 103 Sht. 26-2-4)

tr 1898 Dr. 103 Sht. 26-1

FORT WORDEN, PT. WILSON (WASH.)

(LOCATED AT PORT TOWNSEND)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.	
			FORTIFICATION FILE	
GUN EMPLACEMENTS AT POINT WILSON. GENERAL PLAN "A". - 26466/8	tr	1898	Dr. 103 Sht. 22-4	
PLAN "A" DETAIL OF AMMUNITION SUPPLY 10" NON DISAPPEARING BATTERY. - 26466/9	tr	1898	Dr. 103 Sht. 22-5	
GUN EMPLACEMENTS ON POINT WILSON PLAN & SECTIONS OF EMPLACEMENTS FOR TWO 10" NON-DISAPPEARING GUNS. - 26466/11	tr	1898	Dr. 103 Sht. 22-6	
Letr. of Capt. Harry Taylor, Apr. 23, 1899 rel. progress of work at Pt. Wilson:-				
Lumber Yard. - 30456/5	photo.	1899	Dr. 103 Sht. 29-1	Transferred to NHP
Wharf at Pt. Wilson. - 30456/6	photo.	1899	Dr. 103 Sht. 29-2	
Forms at emplacements - 30456/7	photo.	1899	Dr. 103 Sht. 29-3	
Unloading 3 - 10" guns. - 30456/8	photo.	1899	Dr. 103 Sht. 29-4	
Concrete mixing house at Point Wilson. 30456/9	photo.	1899	Dr. 103 Sht. 29-5	
View of Lumber Yard. - 30456/10	photo.	1899	Dr. 103 Sht. 29-6	
Unloading 10" guns. - 30456/11	photo.	1899	Dr. 103 Sht. 29-7	
Trainway from wharf to emplacements Pt. Wilson. From roof of cement store house. - 30456/12	photo.	1899	Dr. 103 Sht. 29-8	Transferred to NHP
Switches at top of incline Pt. Wilson. - 30456/13	photo.	1899	Dr. 103 Sht. 29-9	
Annual report of Capt. Harry Taylor for 1899:-				
DEFENSES OF PUGET SOUND, AT POINT WILSON, WASHINGTON. GENERAL ARRANGEMENT OF PLANT. TO ACCOMPANY ANNUAL REPORT, JUNE 30, 1899 (Topo- graphical map of reservation showing position of bldgs. etc.) - 16127/38	tr	1899	Dr. 103 Sht. 29-10	

Photographs

FORT WORDEN, PT. WILSON (WASH.)

(LOCATED AT PORT TOWNSEND)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP	MAP	FILE NO.
	TYPE	DATE	FORTIFICATION FILE
DEFENSES OF PUGET SOUND. SKETCH SHOWING GENERAL ARRANGEMENT OF SUPPLY AND CONCRETE PLANT AT POINT WILSON, WASH. - 16177/35	tr	1899	Dr. 103 Sht. 29-11
Concrete mixer building at Point Wilson, Washington (& duplicate) - 16127/44,48	photo.	1899	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-14 (& Dupl.)
Concrete Mixer Building at Point Wilson, Washington. (& Duplicate) - 16127/45, 49	photo.	1899	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-15 (& Dupl.)
Tramway at Point Wilson, Washington (& Duplicate) - 16127/46,50	photo.	1899	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-6 (& Dupl.)
Wharf at Point Wilson, Washington (& Duplicate) - 16127/43, 47	photo.	1899	Dr. 103 Sht. 29-17 (& Dupl.)
Views illustrating report of Capt. Harry Taylor on operations at Point Wilson Mortar battery for Month of Dec. 1899:-			
Looking N. W. along rear of battery from opposite pit. #1, Jan. 3, 1900.	photo.	1900	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-18
Looking west towards M. B. from top of mixer building. Jan. 3, 1900	photo.	1900	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-19
Pit. #1. Jan. 3, 1900. Floor laid. platforms placed.	photo.	1900	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-20
Pit. #2. Jan. 3, 1900. Concrete floor laid.	photo.	1900	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-21
Pit. #3. Jan. 3, 1900.	photo.	1900	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-22
Pit. #4. Jan. 3, 1900	photo.	1900	Transferred to NSP <u>4/24/57</u> Dr. 103 Sht. 29-23

FORT WORDEN, PT. WILSON (WASH.)

(LOCATED AT PORT TOWNSEND)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.
FORTIFICATION FILE			
Ltr. of Capt. Harry Taylor, June 12, 1899:-			
DEFENSES OF PUGET SOUND AT POINT WILSON, WASHINGTON. GENERAL PLAN OF BATTERIES. PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.ARMY, JUNE 1899 - 30456/22	tr	1899	Dr. 103 Sht. 34-1
MORTAR BATTERY AT PT. WILSON, WASH. PLAN AND SECTIONS. DESIGNED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. BY 1ST LIEUT. M. L. WALKER, CORPS OF ENGINEERS, U.S.A. JUNE, 1899 - 30456/21	tr	1899	Dr. 103 Sht. 34-2
Ltr. of Capt. Harry Taylor, Sept. 22, 1899:-			
DEFENSES OF PUGET SOUND, WASH. AT POINT WILSON. PLAN OF ELECTRIC LIGHTS FOR GUN EMPLACEMENTS - 26466/69	tr	1899	Dr. 103 Sht. 36-1
PLAN OF ELECTRIC LIGHTS FOR MORTAR BATTERY - 26466/71	tr	1899	Dr. 103 Sht. 36-2
INFORMATION CONCERNING BATTERIES AT POINT WILSON, WASHINGTON, FURNISHED THE BOARD ON LOCATION OF POSITION FINDERS BY CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.ARMY, OCT. 1899 (Report on Bd. of location of position Finders, Dec. 15, 1899 - 25126/401)	bp	1899	Dr. 103 Sht. 53-5
POINT WILSON MILITARY RESERVATION PARTS OF SECTIONS 26 & 35 IN TOWNSHIP 31 N. R. 1 WEST WMT. MDN. (Ltr. of Capt. Harry Taylor, Sept. 23, 1898 reqstg. that action be taken to secure from the State of Wash., title to tide lands adjacent to Mil. Res. at Point Wilson.) - 25547/3	tr	1898	Dr. 103 Sht. 28-1

Fort Worden, Washington

Record Group 77, Fortification Map File

Dr. 189

- Wash. 23-1 Description of reservation. Manuscript. Dimensions 13 x 8 inches. Also General Orders of Headquarters of the Army no. 37. Published. Date March 25, 1903. Dimensions 8 x 5 inches.
- Wash. 23-2 Description of reservation. Manuscript. Dimensions 13 x 8 inches.
- Wash. 23-3 Map of reservation. Tracing. Scale 1 inch to 40 chains. Dimensions 13 x 8 inches.
- Wash. 23-4 Same as above. Manuscript.
- Wash. 23-5 Map of reservation. Manuscript. Scale 1 inch to 900 feet. Dimensions 13 x 8 inches.

PORT WARDEN, POINT WILSON (WASH.)
(LOCATED AT POINT TOTHESND)
(DEFENSE OF POINT SOUTH)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILM NO.	FORTIFICATION
Ltr of Capt. Harry Taylor, March 16, 1899:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT ADJUTANT HEAD 2 AT POINT WILSON, AND 2 AT WASHINGTON POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1898 29804/12	tr	1898	Dr. 257 Sht. 13-1	
EMPLACEMENTS FOR 2-12" AND 5-10" GUNS AT POINT WILSON WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1898 29804/11	tr	1898	Dr. 257 Sht. 13-1	
Armament Sheets, Dec. 31, 1898 29804/7	pms	1898	Dr. 257 Sht. 13-1	
Ltr of Maj. John Millis, Jan. 20, 1901:-				
AT POINT WILSON WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1899				
EMPLACEMENTS FOR 2-12" AND 5-10" GUNS 29804/58	tr	1899	Dr. 257 Sht. 13-1	
EMPLACEMENTS FOR 16-12" MORTARS 29804/59	tr	1899	Dr. 257 Sht. 13-1	
Armament Sheet, Dec. 31, 1899 29804/46	pms	1899	Dr. 257 Sht. 13-1	
Ltr of Maj. John Millis, Jan. 20, 1901:-				
AT PORT WARDEN WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900				
EMPLACEMENTS FOR 2-12" AND 5-10" GUNS 29804/58	tr	1900	Dr. 257 Sht. 13-7	
EMPLACEMENTS FOR 16-12" MORTARS 29804/59	tr	1900	Dr. 257 Sht. 13-8	
Armament Sheet, Dec. 31, 1900 29804/46	pms	1900	Dr. 257 Sht. 13-9	
Ltr of Maj. John Millis, Jan 2, 1902:-				
AT PORT WARDEN, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1901				
EMPLACEMENTS FOR 16-12" MORTARS 29804/89	tr	1901	Dr. 257 Sht. 13-1	
EMPLACEMENTS FOR 2-12" AND 5-10" GUNS 29804/88	tr	1901	Dr. 257 Sht. 13-1	
ARMAMENT REPORT FOR YEAR ENDING DECEMBER 31, 1901 PORT WARDEN, WASH 29804/83	pms	1901	Dr. 257 Sht. 13-1	

PORT WARDEN, POINT WILSON (WASH.)
(LOCATED AT FORT TOWNSEND)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FILE
Rec'd from Maj. John Millis, Jan. 12, 1903:-				
AT PORT WARDEN, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1902				
EMPLACEMENTS FOR 16-12" COASTALS 29804/129	tr	1902	Dr. 257 Sht. 13-1	
EMPLACEMENTS FOR 2-12" AND 5-10" GUNS 29804/136	tr	1902	Dr. 257 Sht. 13-1	
ANNUAL REPORT FOR YEAR ENDING DECEMBER 31, 1902 FORT WARDEN, WASH 29804/124	pms	1902	Dr. 257 Sht. 13-1	
Ltr of Capt. Harry Taylor, Jan. 10, 1900:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT POINT WILSON, AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31, 1899 29804/31	tr	1899	Dr. 257 Sht. 13-6	
Ltr of Maj. John Millis, Jan. 28, 1901:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1900 29804/64	tr	1900	Dr. 257 Sht. 26-1	
Ltr of Maj. John Millis, Jan. 2, 1902:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1901 29804/94	tr	1901	Dr. 257 Sht. 26-1	
Rec'd from Maj. John Millis, Jan. 12, 1903:-				
6-EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1902 29804/131	tr	1902	Dr. 257 Sht. 26-1	

Fort Worden, Wash

RG 77 Fortifications Map File

Drawer 103 Sheet 12 (4-14-15) -14 & 15

Two photographic views of Engineering Bldg, Fort Worden, July 1904
(found in map files)

(In envelope)

FORT WORDEN, Washington

RG 77 War Department Map Collection

28-Washington	Topographical map of Ft. Worden, Wash.	1:1200	1906
103- "	Map of Ft. Worden, Wash.	1:3600	1913

FORT WORDEN, WASHINGTON

ADDITION OR CORRECTION
This page provides new information not shown when original finding and microfilmed in 1972

PRELIMINARY LIST: RG 77 Fortifications--W.W.II "Military Files"

Noted below where former Drawer/Sheet nos. replaced by "Mil.File" nos.
Mostly brownline and blueprints, some tracings.

<u>File No.</u>	<u>Contents</u>	<u>No. Items</u>	<u>Dates</u>
6105	<u>Fort Lewis</u> , Washington. Camp Murray. 3 general layouts, approx. 203 "Construction Data Index" lists.	206	1942-45
6141-1050	<u>Fort Myer</u> , Va. Electric Distr. System	1	1942
6167-1082-X	<u>Fort Totten</u> , N.Y. Casements for search-lights.	1	1941
6168	<u>Fort Hamilton</u> (Harbor Defenses of Southern N.Y.) Stations, rooms for batteries.	5	1941-43
6169	<u>Fort Tilden</u> , Long Island, N.Y. (Hbr. Defenses of Sandy Hook). General plan, Battery Harris, M-4 Station/cable hut, fire control cables, TNT storage "igloos," communication diagram, Mine Command (Fts. Tilden and Hancock), oblique aerial photo prints (6169-118)	33	1937-42
6171	<u>Fort Hancock</u> N.J. General plans, batteries, mine casements, 100-ft towers, rooms, training camp, photocopies of 1920-23 plans	25	1940
6175	<u>Fort Caswell</u> Site, Cape Fear entrance, N.C.	1	1940
6180	<u>Fort Scott</u> (Harbor Defenses of San Francisco), mine casements, housing facilities	10	1940
→ 6184	<u>Fort Worden</u> (Harbor Defenses of Puget Sound), General Fortification Map, Layout Plan, stations, latrines, AA installations, "Gpmt. CP1-GCP3", Construction Data Index. [12 plans, 24 Data Index lists] total:	36	1939-45
6185	<u>Fort Casey</u> , Island, Co., Wash. Layout plans (3) and Constr. Data Index lists (9) total:	12	1942
6186	<u>Fort Flagler</u> , Washington. General Layout, Fortification Map, casements, AA batteries, plans (8), Construction Data Index lists (6) total items:	14	1942-43

RG 92
BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

1. "Map of Fort Worden, Washington. 1901. George Ruhlew (?), Maj., QM, U.S. Army and H. Ambrose Kiehl, C.E., Quartermasters Office, Seattle, WA. Topography by U.S. Engineers. 300 ft. to the inch. Contour interval=5 ft." Shows contour lines, motor unit locations, and U.S. Light House Reservation. Also shows "Vicinity Map" from Tacoma to Whatcom, WA., waterways of Puget Sound, and locations of military reservations in area, Fort Worden, Fort Casey, and Fort Flagler. 1 item. 29 x 34 in.
2. "Map of Fort Worden, WA. Showing Location of Proposed Buildings, Roads, and Sewer Lines for Military Post. No. 1. Nov. 1902. Geo. H. Penrose, Capt., QM, U.S. Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. SCALE 1 inch = 50 feet." Stamped on reverse Nov. 1902. Shows contour lines, boundary of reservation, Officer's quarters, Cherry St., manholes, and Port Townsend Bay. 1 item. 29 x 46 in.
3. "Sections through Building and Roads at Fort Worden, WA. Showing Their Relation to Each Other. Nov. 1902. Geo H. Penrose, Capt., QM, U.S. Army, Constructing Quartermaster, Quartermaster's Office, Port Towsend, WA." Stamped on reverse Nov. 1902. Officers' Quarters No.3 and Barracks No.3. Manuscript on graph paper. Scale approx. one inch to 20 feet? 1 item. 11 x 20 in.
4. "Profiles of Roads Bounding Parade-Ground at Fort Worden, WA. Showing Proposed Grades, the Location of Proposed Buildings, and the Level of Their Grade Line in Relation to Said Roads. Nov. 1902. Geo. H. Penrose, Capt., QM, U.S. Army, Constructing Quartermaster, Quartermasters' Office, Port Townsend, WA. Horizontal Scale 1"=100 feet, Vertical Scale 1"=10 feet." Stamped on reverse Nov. 1902. Manuscript on graph paper. 1 item. 21 x 22 in.
5. "Map of Fort Worden, WA. Showing Location of Proposed Buildings, Roads, and Sewer Lines for Military Post. No. 2. Nov. 1902. Geo. H. Penrose, Capt., QM, U. S. Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Stamped on reverse Nov. and Dec. 1902. Annotations relate to sewer, walk, and road construction. Shows contour lines, boundary of reservation, Officer's quarters, Cherry St., numbered manholes, two flush tanks. 1 item. 29 x 48 in.

RG 92
BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

6. "Details of Sewer System, Fort Worden, WA. Dec. 1902. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale $3/4"=1'$." Stamped on reverse Dec. 1902. Shows section of typical manholes, plans of manholes, grease trap [crossed out], elevation of lamphole, automatic flush tank, ventilating cover, etc. 1 item. 20 x 25 in.
7. "Profiles of Sewer Lines, Fort Worden, WA. Dec. 1902. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Horizontal Scale 1 inch = 80 feet, Vertical Scale 1 inch = 20 feet." Stamped on reverse Dec. 1902. 1 item. 16 x 33 in.
8. "Map of Fort Worden, WA. Showing Location of Proposed Buildings, roads, and Sewer Lines for Military Post. Nov. 1902. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch = 50 feet." Stamped on reverse Dec. 1902. Shows barracks, hospital, other buildings, corral, and manhole locations. 1 item. 28 x 47 in.
9. "Map of Fort Worden, WA. Showing Location of Proposed Buildings, Roads, and Sewer Lines for Military Post. Jan. 1903. Geo. H. Penrose, Capt., QM US Army, Contructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch = 50 feet." Marked on reverse Jan. and Feb. 1903. Shows barracks, hospital, other buildings, corral, and manhole locations. 1 item. 28 x 46 in.
10. "Map of Fort Worden, WA. Showing Location of Proposed Buildings, Roads, and Sewer Lines for Military Post. Jan. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch = 50 feet." Stamped on reverse Mar. 1903. Annotated "Location of Hospital...and changes in sewer system necessitated by change of location of buildings." 1 item. 29 x 47 in.

RG 92 BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

11. "Profiles and Grades of Roads, Ft. Worden, WA. Mar. 1903. Geo. H. Penrose, Capt. QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Horizontal Scale 1"=80', Vertical Scale 1"=20'." Stamped on reverse Apr. 1903. 1 item. 20 x 29 in.
12. "Profiles of Sewer Lines, Fort Worden, WA. Mar. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Horizontal Scale 1 inch=80 ft., Vertical Scale 1 inch=20 ft." Stamped on reverse Apr. 1903. 1 item. 10 x 34 in.
13. "Map of Fort Worden, WA. Mar. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Stamped on reverse Apr. 1903. Annotated "Plat showing roads, walks... authorized Mar. 5, 1903...." Shows barracks, hospital, other buildings, corral, and manhole locations. 1 item. 29 x 47 in.
14. "Fort [Worden], Washington, Plan of Catch Basin. Jan. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA." Stamped on reverse May 1903. Various scales. 1 item. 14 x 21 in.
15. "Fort Worden Military Reservation Showing Boundaries and Area of Addition as Surveyed Dec. 1902. C.W.Walker, County Surveyor, Jefferson County, WA. Scale 300 ft. to one inch...." Annotated to show wire fence erected by Joseph Cowan under contract dated Mar. 23, 1903. Stamped on reverse May and June 1903. 1 item. 24 x 20 in.
16. "Map of Fort Worden, WA. Mar. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Stamped on reverse Sep. 1903. Annotated "Fort Worden, WA. Water Distributing System." 1 item. 28 x 46 in.
17. "Section of Granolithic Walk, Steps, and Wooden Connecting Walk at Fort Worden, WA. Oct. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 3/4"=1'." Stamped on reverse Oct. 1903. Shows layers of gravel, concrete, and wood. 1 item. 7 x 16 in.

RG 92
BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

18. "Map of Fort Worden, WA. Showing Proposed Cement Walks around Building. Mar. 1903. Geo. H. Penrose., Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Stamped on reverse Oct. 1903. Annotated to show 3-foot-wide, 4-foot-wide, and 6-foot-wide walks in yellow, green, and red. 1 item. 28 x 47 in.
19. "Profiles of Supply and Connecting Mains to and from Proposed Tank, Fort Worden, WA. Oct. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Horizontal Scale 1 inch=40 feet, Vertical Scale 1 inch=20 feet." Stamped on reverse Nov. 1903. 1 item. 12 x 22 in.
20. "Part of Fort Worden, WA. Showing Location of Proposed Tank, Supply, and Connecting Mains. Oct. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Stamped on reverse Nov. 1903. Annotated with red line to show temporary water system for new buildings. 1 item. 28 x 28 in.
21. "Proposed Tank and Trestle, Fort Worden, WA. Oct. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1/4 inch [to one foot]." Stamped on reverse Nov. 1903. 1 item. 20 x 16 in.
22. "Map of Fort Worden, WA. Revised Plan of Cement Walks. Mar. 1903. Geo. H. Penrose, Capt. QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Stamped on reverse Nov. 1903. Annotated to show 4-foot, 5-foot, and 10-foot walks in green, red, and yellow and with contracting details. 1 item 29 x 47 in.
23. "Part of Fort Worden, WA. Showing Location of Proposed Tank, Supply, and Connecting Mains. Oct. 1903. Geo. H. Penrose [author identified on reverse], Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Annotated Nov. 13, 1903 with red line to show temporary water system and contracting details. Stamped on reverse Dec. 1903 and annotated with contracting details. Also shows plan of trestle and elevation of tank and trestle. 1 item. 28 x 40 in.

RG 92
BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

24. "Map of Fort Worden, WA. Mar. 1903. Geo. H. Penrose [author identified on reverse], Capt. QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Annotated on reverse Nov. and Dec. 1903 regarding permanent water distributing system and contracting details. Shows all buildings and numbered manholes. 1 item. 28 x 47 in.

25. "Map of Fort Worden, WA. Showing Location Proposed for Additional Buildings. Mar. 1903. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 feet." Annotated in yellow Mar. 1904 to show three additional officers' quarters and three additional barracks. Stamped on reverse Mar. and Apr. 1904. Annotated on reverse that map is described in a letter dated Apr. 1904. 1 item. 28 x 46 in.

26-1 and -2. "Fort Worden, WA. May 1904. Geo. H. Penrose, Capt. QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 ft." One sheet stamped on reverse June 1904. Shows water and sewer system for buildings along roads No. 6 and 9. 1 item in two sheets, 35 x 28 in. and slightly smaller.

27. "Map of Fort Worden, WA. Showing Locations for Proposed Cisterns and Drains. Present Locations of Drains Shown in Yellow. Proposed Location of Drains Shown in Red. Mar 1904. Geo. H. Penrose, Capt. QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch=50 ft." Stamped on reverse May 1904. 1 item. 28 x 45 in.

28. "Fort Worden, WA. May 1904. Geo. H. Penrose, Capt. QM US Army, Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1 inch =50 feet." Stamped on reverse June 1904 and annotated with contracting details. Shows buildings and water and sewer systems. 1 item. 34 x 45 in.

29. "Plan of Cistern [with Hand Pump]. Scale 3/8"=1'." Stamped on reverse May 1904. 1 item. 15 x 10 in.

RG 92
BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

30. "Addition to QM & SUB Storehouse, Fort Worden, WA. No. 91F. Sheet 1. Sep. 1904. Geo. H. Penrose, Capt. Constructing Quartermaster, Quartermaster's Office, Port Townsend, WA. Scale 1/4 inch [to one foot]." Shows attic, roof, first floor, foundation, and basement. 1 item. 35 x 28 in.
31. "Addition to QM & SUB Storehouse, Fort Worden, WA. No. 91F. Sheet. 2. Sep. 1904. Geo. H. Penrose, Capt., QM US Army, Constructing Quartermaster, Port Townsend, WA." Various scales. Stamped on reverse Sep. 1904. Shows windows, doors, and clothes closets. 1 item. 26 x 36 in.
32. "Hot Water Heating Administration Bldg. No. 122 at Fort Worden, WA. SPL.2-673. Jul. 1905. Q.M.G.O." Various scales. Shows boiler room, first and second floor plans, and plan of coalchute. 1 item. 21 x 36 in.
33. "Fort Worden, WA. Showing Building, Roads, Sewers, and Grades. Apr. 1906. Chas. ? Clark, 2 Lt, US Army Dist. QM, Quartermaster's Office, Fort Worden, WA. Scale 1 inch=50 feet." Detailed legend. Stamped on reverse Apr. 1906. 1 item. 34 x 47 in.
34. "Proposed Location of Pole Lines for Electric Lighting of Garrison, Fort Worden, WA with Letter of this Date to Chief of Engineers. 466.H2068/118. Jan. 1906. T.A. Pohl, 1 Lt, Corps of Engineers, US Army, U.S. Engineer Office, Seattle, WA. Scale 1"=200'." Stamped on reverse July 1906 and annotated in red lines. 1 item. 28 x 30 in.
35. "Map of Portion of Fort Worden, WA. Showing Present Sewerage System and Proposed Additions. Apr. 1909. Quartermaster's Office, Seattle, WA. Scale 1"=200'." Stamped on reverse Sep. 1909. 1 item. 21 x 23 in.
36. "Profiles of Proposed Additions to Sewerage System. Fort Worden, WA. Apr. 1909. Quartermaster's Office, Seattle, WA. Scales as shown." Stamped on reverse Sep. 1909 and annotated with contracting details Nov. 1909. 1 item. 18 x 41 in.

RG 92
BLUEPRINT FILE
FORT WORDEN, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991

37. "Sewerage System: General Plans of Manholes. Fort Worden, WA. 310-6. Apr. 1909. Quartermaster's Office, Seattle, WA, Scale 1/2"=1'." Stamped on reverse Sep. 1909. 1 item. 19 x 27 in.

38. "Fort Worden, WA. Drawn by E.S. Hubbard." Photographed May 1904; corrected thru Mar. 1911. Detailed legend. Stamped on reverse May 1911. Annotated on front in red and black with instructions to make any additions or corrections to update map. 1 item. 27 x 32 in.

39. "Profile of 4-inch Cast Iron Water Main Rear of Main Batteries, Fort Worden, WA. Apr. 1912. Constructing Quartermaster's Office, Seattle, WA." No scale given. 1 item. 11 x 44 in.

40. "Map of Present and Proposed Water Mains and Connections in Vicinity of Main Battery, Fort Worden, WA. Apr. 1912. Stoddard, Constructing Quartermaster's Office, Seattle, WA. Scale 100'=1". Stamped on reverse and annotated with contracting details May and Jun. 1912. 1 item. 27 x 20 in.

41. "Map of Fort Worden Military Reservation Showing Existing Fences. Jun. 1912. J. Hemker, Scale 12"=1 mile." Stamped on reverse Jun. and Jul. 1912. 1 item. 14 x 11 in.

42. "Fort Worden, WA. Prepared Under the Direction of Benj. H. Kerfoot, Capt., QM Corps, Const. QM from the Latest QM Maps and Notes. Jun. 1915. W. Frank Noot, CE & Supt. of Cons. QMC, Const. QM Office, Fort Worden, WA. Scale 1 in.=100 feet, Contour interval = 5 feet." Map has detailed legend with a "Reference Map Plotted from Maps & Notes. County Engineers Office, Jefferson County, WA. Scale 1 in.=600 ft." Stamped on reverse Jun. 1915. 1 item 33 x 36 in. [Exhibit Potential: EXPO]

RG 94
Enclosures to National Land Defense Board Reports
Fort Worden, Washington

Enclosure 111 (18 items).
Added May 1999.

Fort Worden hospital

(RG 112 Surgeon Gen.)

WA

FORT FLAGLER, MARROWSTONE POINT (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP	MAP	FILE NO.
	TYPE	DATE	
			FORTIFICATION FILE
MAP OF APPROACHES TO ADMIRALTY INLET, PUGET SOUND, W. T. SHOWING MILITARY RESERVATIONS AND PRIVATE CLAIMS PREPARED BY DIRECTION OF CAPT. J. W. MACMURRAY, 1ST ARTY. ACT. CHIEF ENGR. JAN. 1885 (shows in red dwellings on Mil. Res. of:-). (Report of Lt. John L. Sehon, 20th Arty., Aug. 26, 1895 to Adjutant Gen. Dept. of Columbia, rel. examination of different Mil. Reservations in Puget & Washington sounds and illegal occupancy. - 13809/29)	tr	1885	Dr. 103 Sht. 2
MARROWSTONE POINT, PUGET SOUND, WASHINGTON. LAND TITLES AS SHOWN BY LOCAL LAND OFFICE RECORDS JULY - 1896 (Prelim. report of Capt. Harry Taylor, Aug. 8, 1896 - 14964/6	tr	1896	Dr. 103 Sht. 3-2
Report of Capt. Harry Taylor, Oct. 19, 1895:-			
MARROWSTONE POINT, PUGET SOUND, WASHINGTON SHOWING PRESENT BOUNDARY OF MILITARY RESERVATION AND PROPOSED ADDITIONS. OCT. 1896. - 14964/14	tr	1896	Dr. 103 Sht. 5-1
TOPOGRAPHICAL MAP OF MARROWSTONE POINT, PUGET SOUND WASHINGTON. MADE UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. BY ASST. ENGR. EUGENE RICKSEEKER. JULY 1896 - 14964/15	bp	1896	Dr. 103 Sht. 5-2
Ltr. of Capt. Harry Taylor, Aug. 8, 1896 fwdg. photographs taken during progress of survey & showing average character of ground:-			
Marrowstone Point, Puget Sound, Wash. on the beach north end looking east. 14964/27	photo.	1896	Dr. 103 Sht. 8-1
Marrowstone Point, Puget Sound, Wash. any where else on the top of the bluffs.- 14964/26	photo.	1896	Dr. 103 Sht. 8-2
Marrowstone Point, Puget Sound, Wash. most any where on top of the bluffs.- 14964/28	photo.	1896	Dr. 103 Sht. 8-3

FORT FLAGLER, MARROWSTONE POINT (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO. FORTIFICATION FILE
Ltr. of Capt. Harry Taylor, Nov. 30, 1896, submitting two designs for battery of 3 - 10" and 3 - 12" guns at Marrowstone Pt.:-			
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET			
GENERAL PLAN PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. (shows Marrowstone Pt. Port Townsend, Pt. Wilson & vicinity) - 18549/3	bp	1896	Dr. 103 Sht. 9-1
Plan A. GENERAL PLAN OF BATTERY, CONTOURS OF SURFACE, AND SECTIONS. SHEET 1. - 18549/3	bp	1896	Dr. 103 Sht. 9-2
Plan A. GUN EMPLACEMENTS ON MARROWSTONE POINT AND SECTIONS SHEET 2. PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. - 18549/2	bp	1896	Dr. 103 Sht. 9-3
Plan A. GUN EMPLACEMENTS ON MARROWSTONE POINT SECTIONS FOR 12" GUN SHEET 3. PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. - 18549/4	bp	1896	Dr. 103 Sht. 9-4
Plan B. DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN EMPLACEMENTS ON MARROWSTONE POINT. GENERAL PLAN OF BATTERY PLAN AND SECTIONS PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. - 18549/5	bp	1896	Dr. 103 Sht. 9-5
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN EMPLACEMENTS ON MARROWSTONE POINT. GENERAL PLAN OF BATTERY AND PLAN PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. JAN. 30 1897 (two 12" and four 10" guns on barbette carriage) (Ltr. of Capt. Harry Taylor, Jan. 30, 1897 - 18549/9)	bp	1897	Dr. 103 Sht. 11

FORT FLAGLER, MARROWSTONE POINT (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO. FORTIFICATION FILE
Ltr. of Capt. Harry Taylor, Mar. 20, 1897:-			
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN EMPLACEMENTS ON MARROWSTONE POINT. GENERAL PLAN OF BATTERY PLAN AND SECTIONS. PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. MARCH 1897 - 18549/13	tr	1897	Dr. 103 Sht. 13-1
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GENERAL PLAN PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. MARCH 1897. (Includes Point Wilson, Marrowstone Point, Admiralty Head & other points on Whidbey Island & shows field of fire of guns at Marrowstone Point) - 18549/14	bp	1897	Dr. 103 Sht. 13-2
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN E. PLACEMENTS ON MARROWSTONE POINT PARTIAL PLAN AND SECTIONS (shows gun platforms & lift openings) Ltr. of Capt. Harry Taylor, Apr. 19, 1897 - 18549/28	tr	1897	Dr. 103 Sht. 13-3
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN EMPLACEMENTS ON MARROWSTONE POINT PARTIAL PLAN AND SECTION SHOWING ADDITION OF COMMANDING OFFICERS AND CHART ROOMS. (Ltr. of Capt. Harry Taylor, rel. proposed change in plans of battery to add rooms under traverse in Center of battery - 18549/35	tr	1897	Dr. 103 Sht. 13-4
Letr. of Capt. Harry Taylor, Mar. 28, 1899 reporting dampness of emplacements at Marrowstone Pt. & sub- mitting map showing drainage system of battery - 16515/73 GUN EMPLACEMENTS ON MARROWSTONE POINT PARTIAL PLAN AND SECTION.	tr	1899	Dr. 103 Sht. 13-5
Annual report of Capt. Harry Taylor, for 1898:-			
DETAILS OF CONCRETE MIXER AT MARROWSTONE POINT, WASH. JUNE 20TH 1898 - 16127/20	tr	1898	Dr. 103 Sht. 23-5
SKETCH SHOWING RELATIVE ELEVATION AND GENERAL PLAN OF MATERIAL AND CONCRETE PLANT OF PACIFIC BRIDGE CO. CONTRACTORS AT MARROWSTONE POINT WASH. - 16127/28	tr	1898	Dr. 103 Sht. 23-6
PLAN SHOWING ARRANGEMENT OF PLANT FOR CONCRETE WORK AT MARROWSTONE POINT, JUNE 20TH 1898 16127/29	tr	1898	Dr. 103 Sht. 23-7

FORT FLAGLER, MARROWSTONE POINT (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.	FORTIFICATION FILE
Ltr. of Capt. Harry Taylor, Nov. 7, 1898:-				
DEFENSES OF PUGET SOUND GENERAL MAP OF ADMIRALTY INLET SHOWING LOCATION OF ALL GUN BATTERIES PROJECTED TO DATE AND FIELDS OF FIRE OF 5" R. F. G. BATTERIES. PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. BY 1ST LIEUT. M.L. WALKER, CORPS OF ENGRS. NOV. 1898 (Includes Admiralty Head, Pt. Wilson & Marrowstone Pt.) - 27720/4	tr	1898	Dr. 103 Sht. 26-1	
DEFENSES OF PUGET SOUND EMBLACEMENTS FOR 2- 5" R.F. GUNS. ON BALANCED PILLAR MOUNTS AT MARROWSTONE POINT, WASH. PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S. ARMY BY 1ST. LIEUT. M.L. WALKER, CORPS OF ENGRS. U.S.A. OCT. 1898 - 20/3	tr	1898	Dr. 103 Sht. 26-2	
DEFENSES OF PUGET SOUND EMBLACEMENTS FOR 2 - 5" R.F. GUNS AT MARROWSTONE POINT, WASH. PLAN AND SECTIONS PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.ARM. BY 1ST. LIEUT. M. L. WALKER, CORPS OF ENGINEERS, U.S. ARMY OCT. 1898 - 27720/2	tr	1898	Dr. 103 Sht. 26-3	
DEFENSES OF PUGET SOUND, WASH. AT MARROWSTONE POINT PLAN OF ELECTRIC LIGHTS FOR GUN EMBLACEMENTS. (Ltr. of Capt. Harry Taylor, Sept. 22, 1899 - 26466/67)	tr	1899	Dr. 103 Sht. 36-5	
INFORMATION CONCERNING BATTERIES AT MARROWSTONE POINT, WASHINGTON, FURNISHED THE BOARD ON LOCATION OF POSITION FINDERS BY CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S. ARMY OCT. 1899 (Report of Bd. of location of position finders Dec. 15, 1899 - 25126/408)	bp	1899	Dr. 103 Sht. 53-4	
MARROWSTONE PT. MILITARY RESERVATION PARTS OF SECTIONS 8, 9, 16, 17 & 18 IN TOWNSHIP 30 N. R. 1 EAST WMT. MDN. (Title to tide lands at Marrowstone Pt.)	tr	1898	Dr. 103 Sht. 28-1	

Fort Flagler, Wash.

RG 77 Fortifications

Photographic views of batteries Wilhelm and Revere. (found in map files).
Drawer 103 Sheet 13-34 (in envelope)

Flagler, Fort, Washington

Dr. 189 Wash. 6, 1-7.

FORT FLAGLER, MARROWSTONE POINT (WASH.)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FI
Ltr of Capt. Harry Taylor, Mar. 16, 1899:-				
EMPLACEMENTS FOR 2-12" AND 4-10" GUNS AT MARROWSTONE POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1898 29804/10	tr	1898	Dr. 257 Sht. 16-	
Armament Sheet, Dec. 31, 1899 29804/5	pms	1899	Dr. 257 Sht. 16-	
Ltr of Capt. Harry Taylor, Jan. 10, 1900:-				
EMPLACEMENTS FOR 2-12" AND 4-10" GUNS AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1899 29804/36	tr	1899	Dr. 257 Sht. 16-	
Armament Sheet, Dec. 31, 1899 29804/22	pms	1899	Dr. 257 Sht. 16-	
Lt of Maj. John Millis, Jan. 28, 1901:-				
EMPLACEMENTS FOR 2-12" AND 4-10" GUNS AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/60	tr	1900	Dr. 257 Sht. 16-	
EMPLACEMENTS FOR 16-12" MORTARS AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/61	tr	1900	Dr. 257 Sht. 16-6	
Armament Sheet, Dec. 31, 1900 29804/48	pms	1900	Dr. 257 Sht. 16-7	
Ltr of Maj. John Millis, Jan. 2, 1902:-				
EMPLACEMENTS FOR 8 -12" MORTARS AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1901 29804/91	tr	1901	Dr. 257 Sht. 16-8	
EMPLACEMENTS FOR 2-12" AND 4-10" GUNS AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1901 29804/90	tr	1901	Dr. 257 Sht. 16-9	
ARMAMENT REPORT FOR YEAR ENDING DECEMBER 31, 1901 FORT FLAGLER, WASH, Armament Sheet, Dec. 31, 1901 29804/84	pms	1901	Dr. 257 Sht. 16-1	

FORT FLAGLER, MARROUSTONE POINT (TASH.)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FILE
Ltr of Maj. John Millis, Jan. 12, 1903:-				
EMPLACEMENTS FOR 2-12" AND 4-10" GUNS AT FORT FLAGLER WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1902 29804/125	tr	1902	Dr. 257 Sht. 13-	
EMPLACEMENTS FOR 3 -12" MORTARS AT FORT FLAGLER WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1902 29804/128	tr	1902	Dr. 257 Sht. 16-	
ANNUAL REPORT FOR YEAR ENDING DECEMBER 31, 1902 FORT FLAGLER, TASH 29804/122	pas	1902	Dr. 257 Sht. 16-	
Ltr of Capt. Harry Taylor, Jan. 10, 1900:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT POINT WILSON, AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31, 1899 29804/31	tr	1899	Dr. 257 Sht. 26-4	
Ltr of Maj. John Millis, Jan. 28, 1901:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1900 29804/64	tr	1900	Dr. 257 Sht. 26-8	
Ltr of John Millis, Jan. 2, 1902:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1901 29804/94	tr	1901	Dr. 257 Sht. 26-1	
Rec'd from Maj. John Millis, Jan. 12, 1903:-				
6-EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ANNUAL REPORT OF DECEMBER 31ST 1902 29804/131	tr	1902	Dr. 257 Sht. 26-1	

PRELIMINARY LIST: RG 77 Fortifications--W.W.II "Military Files"

Noted below where former Drawer/Sheet nos. replaced by "Mil.File" nos.
 Mostly brownline and blueprints, some tracings.

<u>File No.</u>	<u>Contents</u>	<u>No. Items</u>	<u>Dates</u>
6105	<u>Fort Lewis</u> , Washington. Camp Murray. 3 general layouts, approx. 203 "Construction Data Index" lists.	206	1942-45
6141-1050	<u>Fort Myer</u> , Va. Electric Distr. System	1	1942
6167-1082-X	<u>Fort Totten</u> , N.Y. Casements for search-lights.	1	1941
6168	<u>Fort Hamilton</u> (Harbor Defenses of Southern N.Y.) Stations, rooms for batteries.	5	1941-43
6169	<u>Fort Tilden</u> , Long Island, N.Y. (Hbr. Defenses of Sandy Hook). General plan, Battery Harris, M-4 Station/cable hut, fire control cables, TNT storage "igloos," communication diagram, Mine Command (Fts. Tilden and Hancock), oblique aerial photo prints (6169-118)	33	1937-42
6171	<u>Fort Hancock</u> N.J. General plans, batteries, mine casements, 100-ft towers, rooms, training camp, photocopies of 1920-23 plans	25	1940
6175	<u>Fort Caswell</u> Site, Cape Fear entrance, N.C.	1	1940
6180	<u>Fort Scott</u> (Harbor Defenses of San Francisco), mine casements, housing facilities	10	1940
6184	<u>Fort Worden</u> (Harbor Defenses of Puget Sound), General Fortification Map, Layout Plan, stations, latrines, AA installations, "Gpmt. CPL-GCP3", Construction Data Index. [12 plans, 24 Data Index lists] total:	36	1939-45
6185	<u>Fort Casey</u> , Island, Co., Wash. Layout plans (3) and Constr. Data Index lists (9) total:	12	1942
6186	<u>Fort Flagler</u> , Washington. General Layout, Fortification Map, casements, AA batteries, plans (8), Construction Data Index lists (6) total items:	14	1942-43

FORT FLAGLER, Washington

RG 77 War Department Map Collection

105-Washington	Reservation map of Fort Flagler, Washington	1:7200	1913
18 ³ - "	Topographic map of Fort Flagler, Washington	1:1200	1913

Flagler, Fort WA

RG77 Real Estate Div.

RG 92
Blueprint File
FORT FLAGLER, WASHINGTON

Items roughly in chronological order. List compiled 1989.

1. "Map of Fort Flagler, Washington. W.W. Robinson, Jr., A.Q.M., U.S.A.; H. Ambrose Kiehl, C.E., QM.D. Topography by U.S. Engineers." Shows military reservation and boundaries, buildings, roads, utility lines, contour lines, and elevations. Undated; reverse stamped 1900. Blueprint. 1 in. to 300 ft. 1 item. 28 x 33 in.
2. "Map of Fort Flagler, Washington. W.W. Robinson, A.Q.M., U.S.A.; H. Ambrose Kiehl, C.E., QM.D. Topography by U.S. Engineers. Updates building and road construction shown in item no. 1. Annotations highlight "area to be cleared and grubbed." "25 12c" noted in lower right hand corner. Reverse notes appropriations for road and walk construction. Undated; reverse noted July 26, 1900. Blueprint with annotations. 1 in. to 300 ft. 1 item. 25 x 32 in.
3. "Map of Fort Flagler, Washington, Showing Proposed Grade of Parade [Ground]. Capt. W.W. Robinson, Jr., A.Q.M.; H. Ambrose Kiehl, Civil Engr. Shows buildings and roads; contour lines and elevations. Undated; c.1900. Blueprint. 1 in. to 50 ft. 1 item. 41 x 29 in.
4. "Map of Fort Flagler, Washington, Showing Proposed Grade of Parade [Ground]. Capt. W.W. Robinson, Jr., A.Q.M.; H. Ambrose Kiehl, Civil Engr. Same as item no. 3, with addition of utility lines, and annotated "26 12c 2" in lower right hand corner. Attached note indicates that blueprint intended "to accompany Major Ruhlen's letter to Qr. Mr. General Dated March 11, 1901." Undated; attachment indicates 1901. Blueprint with annotations. 1 in. to 50 ft. 1 item. 41 x 25 in.
5. "Profiles of Roads and Parade [Ground,] Fort Flagler, Wash. 128. Office of the Constructing Quartermaster, Seattle, Washington, G. Ambrose Kiehl." Undated, but related documents in this file dated 1901. Blueprint. Scales vary. 1 item. 23 x 44 in.

RG 92
Blueprint File
FORT FLAGLER, WASHINGTON

Items roughly in chronological order. List compiled 1989.

6. "Profiles of Roads and Parade [Ground,] Fort Flagler, Wash. 128 13. Office of the Constructing Quartermaster, Seattle, Washington, G. Ambrose Kiehl." Same as item no. 5, with minor update of construction instructions. Annotated "3" in upper right hand corner. Less legible than item no. 5. Undated; reverse stamped and noted 1901. Blueprint with annotations. Scales vary. 1 item. 23 x 43 in.
7. "Fort Flagler, Wash., Profiles of Roads to Batteries. Office of the Constructing Quartermaster, Seattle, Washington." "4" and "25" noted in upper and lower right hand corners, respectively. Undated; but related documents in this file dated 1901. Blueprint with annotations. No scale given. 1 item. 12 x 29 in.
8. "Fort Flagler, Washington, Plan of Catch Basin and Cross Section of Roadways." "5" and "27 12 c" noted in upper and lower right hand corners, respectively. March 1, 1901. Blueprint with annotations. No scales given. 1 item. 20 x 13 in.
9. "Fort Flagler, Washington. Plan of Catch Basin." "27 12c" noted in lower right hand corner. March 9, 1901. Blueprint with annotations. Scales vary. 1 item. 12 x 20 in.
10. "Map Showing Location of Forts Flagler, Casey, and Worden, Washington, With Usual Courses of Steamers in Vicinity Thereof and How Same Would Be Affected by Construction of New Wharf at Fort Flagler. Major George Ruhlen, A.Q.M...[and] H. Ambrose Kiehl, C.E., Office of the Constructing Quartermaster, Seattle, Washington." Annotated to show "proposed acquisition of additional land, by condemnation proceedings", bordering Fort Worden. Jan. 14, 1901; reverse stamped Dec. 26, 1901; March 24, 1902, noted on front. Blueprint with annotations. Approx 3 in. to 1 mile. 1 item. 27 x 27 in.

↓

RG 92
Blueprint File
FORT FLAGLER, WASHINGTON

Items roughly in chronological order. List compiled 1989.

11. "[Map of] Fort Flagler, Washington, Showing Location of Proposed Water Main From Port Hadlock to Fort Flagler. Geo. H. Penrose, Capt. and...Constructing Quartermaster, Port Townsend, Wash." Typed attached annotation indicates that map "to accompany Report of Board of Officers appointed by par 12, S.O. 250, A.G.O. Oct. 24, 1902, to make a study of the question of supplying Fort Flagler, Fort Worden and Fort Casey, Wash., with water." Undated; reverse stamped Jan. 17, 1903. Manuscript, ink on linen. 1 in. to 1,666.67 ft. 1 item. 22 x 19 in.

12. "Plan [of] Part [of] Eastern Jefferson Co., Washington [Including Forts Flagler and Worden]. A.A. Batcheller, C.E., Port Townsend, Wash." Shows waterways and islands, meridian lines, township sections and coordinates, county boundary, and names of residents. Annotations show location of Mount Olympus Waterworks dam, reservoir, and pipeline to distributing reservoir at Port Townsend, along with Spring Valley Water Company lines to Fort Flagler. Typed attached annotation indicates that map "to accompany Report of Board of Officers appointed by par 12, S.O. 250, A.G.O. Oct. 24, 1902, to make a study of the question of supplying Fort Flagler, Fort Worden, and Fort Casey, Wash., with water." Feb. 27, 1901; reverse stamped Jan. 17, 1903. Blueprint with annotations. 2 in. to 1 mile. 1 item. 49 x 30 in.

13-1 to 13-8. "Mount Olympus Waterworks, Profile [of Dam, Reservoir, and Pipeline to Proposed Reservoir Site South of Fort Worden, Washington.] Geo. H. Penrose, Capt.,...and Constructing Quartermaster, Constructing Quartermaster's Office, Port Townsend, Wash." Undated; reverse stamped Jan. 17, 1903. Manuscript, ink on graph paper. 1 in. to 20 ft. 1 item in 8 sections, each 49 x 32 in. or smaller.

↓

RG 92
Blueprint File
FORT FLAGLER, WASHINGTON

Items roughly in chronological order. List compiled 1989.

14. "Spring Valley Water Co., Profile of Preliminary Line to Lagoon East of Hadlock, Sta. 0 to 220. Geo. H. Penrose, Capt., and...Constructing Quartermaster, Constructing Quartermaster's Office, Port Townsend, Wash." Typed, attached annotation on back indicates that profile composed or selected "to accompany Report of Board of Officers appointed by par 12, S.O. 250, A.G.O. Oct. 24, 1902, to make a study of the question of supplying Fort Flagler, Fort Worden and Fort Casey, Wash., with water." Undated; reverse stamped Jan. 17, 1903. Manuscript, ink on graph paper. No Scale given. 1 item in 3 sections, each 48 x 22 in. or smaller.
15. "[Standard Plan] 156-A [of] Post Exchange at [Ft. Flagler, Washington]. "Fort Flagler No. 13" stamped on back. Specifications and General Instructions to Bidders attached. Sept., 1903; reverse stamped March 23, 1904. Blueprint. Scales vary. 5 items: 3 numbered blueprint sheets, each 24 x 37 in.; 2 attachments, each 14 x 8 1/2 in.
16. "[Plan of] Hospital at Fort Flagler, Wash." Specifications and bidding instructions attached. Blueprints undated; reverse stamped 1903 and 1904; attachments dated 1904. No scale given. 10 items: 7 blueprints, each approx 22 x 38 in.; 3 attachments, each 14 x 8 in. or smaller.
- 17-1 and 17-2. "Map of Fort Flagler, Wash.,...[Annotated to Show] Proposed Location of Coal Shed, Wagon Shed and Addition to Stable." Also identifies existing buildings and dimensions, roads, sewer and water lines. May 28, 1904; reverse stamped Oct. 26, 1904. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 28 x 39 in., or smaller.
18. "[Map of Coal Sheds and Electric Power Station, at Fort Flagler, Washington]. Reverse annotated: "Ft. Flagler, Wash? Found with folder & map #209418 (Sep 28, 1904)." [1904?]. Manuscript, ink and pencil on paper. No scale given. 1 item. 20 x 27 in.
19. "Map of Fort Flagler, Wash. Geo. H. Penrose, Capt., and...Constructing Quartermaster, Constructing Quartermasters' Office, Port Townsend, Wash." Updates construction details shown in item no. 17, for eastern portion of post only. Blueprint with annotations. 1 in. to 50 ft. 1 item. 30 x 41 in.

RG 92
Blueprint File
FORT FLAGLER, WASHINGTON

Items roughly in chronological order. List compiled 1989.

20. "Map of Reservation, Fort Flagler, Wash." Shows buildings, roads, waterways, wharves, reservoir, existing lines of clearing. Annotated to show old fire break, "proposed clearing", and outbuildings. Aug. 14, 1906; reverse stamped Aug. 15, 1907. Blueprint with annotations. 1 in. to 500 ft. 1 item. 18 x 20 in.
21. "[Map of] Fort Flagler, Wash." Shows buildings, grounds, roads, railroad lines, waterways, wharves, gun emplacements, reservoir, vegetation, contour lines, and elevations. Annotations identify present and proposed locations for post chapel. April 12, 1907; reverse noted Sept. 9, 1911. Blueprint with annotations. 1 in. to 400 ft. 1 item. 20 x 16 in.
22. "[Map of] Fort Flagler, [Washington] Lighting System, Showing Underground Conduit Lines, Aerial Line, Drains, Location of Manholes, Junction Boxes, Ornamental Iron Sheet Lamp Poles, Etc. Office of the Constructing Quartermaster, Seattle, Wash." Also shows buildings and roads. Originally attached to items no. 23 and 24. March 16, 1912; reverse noted Oct. 19, 1912. Blueprint. 1 in. to 50 ft. 1 item. 33 x 50 in.
- 23-1 and 23-2. "[Map of] Fort Flagler, Washington, From Map Prepared by R.H. Ober, Asst. Eng'r., U.S.E.D." Shows buildings (including "Wayside Saloon"), grounds, roads, railroads, waterways, gun emplacements, wharves, reservoir, vegetation, clearings, contour lines and elevations, some utility lines. Annotation shows electric line to chapel. Originally attached to items no. 22 and 24. Nov., 1904; reverse stamped 1912. Blueprint with annotation. 1 in. to 200 ft. 1 item in 2 sections, 30 x 29 in. or smaller.
24. "[Details of] Fort Flagler [,Washington,] Lighting System. Office of the Constructing Quartermaster, Seattle, Wash." Originally attached to items no. 22 and 23. March 16, 1912; reverse stamped April 9, 1912. Blueprint. No scale given. 1 item. 26 x 43 in.

RG 92
Blueprint File
FORT FLAGLER, WASHINGTON

Items roughly in chronological order. List compiled 1989.

25. "Plan of Extension of Water Main to Light House by Engr. Dept.. Also Location of Meter." Title information compiled from map annotations. Undated; reverse stamped April, 1913. Manuscript, pencil on paper. 1 in. to 200 ft. 1 item. 8 x 13 in.

RG 92 Blueprint File
Ft. Flagler, Washington

Number of items added (Jan 1999): 18

Fort Flagler hospital

FORT WARD BEAN POINT (WASH.)

(DEFENSE OF PUGET SOUND)

(ON BAINBRIDGE ISLAND ON THE RIGHT SIDE OF RICH'S PASSAGE)

MAP TITLE & DESCRIPTION

MAP TYPE MAP DATE FILE NO.

FORTIFICATION FILE

Report of Capt. Harry Taylor, June 10, 1897:-

TOPOGRAPHICAL MAP OF SOUTH END OF BAINBRIDGE ISLAND, PUGET SOUND, WASHINGTON. FROM SURVEYS MADE UNDER DIRECTION OF MAJOR JAMES C. POST, CORPS OF ENGRS. U.S.A. JUNE, 1894 AND ALSO UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. - APRIL 1897 - 7347/20

tr 1894 Dr. 103 Sht. 15-1

DEFENSES OF RICH'S PASSAGE. PLAN & SECTIONS OF TORPEDO CASEMATE ON BAINBRIDGE ISLAND PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. MAY, 1897 - 7347/21

tr 1897 Dr. 103 Sht. 15-2

Report of Capt. Harry Taylor, Aug. 30, 1897 rel. land c Bainbridge Island reqd. by U.S. for defense of Richs Passage:-

TOPOGRAPHICAL MAP OF SOUTH END OF BAINBRIDGE ISLAND, PUGET SOUND, WASHINGTON. FROM SURVEYS MADE UNDER DIRECTION OF MAJOR JAMES C. POST, CORPS OF ENGRS. U.S.A. JUNE, 1894, AND UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. APRIL 1897. (Similar to 103-15-1 with addn. of proposed gun & Mortar battery) - 7347/24

tr 1894 Dr. 103 Sht. 15-1

PROPERTY LINES SOUTH END BAINBRIDGE ISLAND, PUGET SOUND WASHINGTON BOUNDARIES OF PROPOSED MILITARY RESERVATIONS, SHOWN THUS APRIL 1ST. 1897 - 7347/25

tr 1897 Dr. 103 Sht. 16-2

POINT WILSON MILITARY RESERVATION PARTS OF SECTIONS 26 & 35 IN TOWNSHIP 31 N. R. 1 WEST TMT. MDN. ADMIRALTY HEAD MILITARY RESERVATION PARTS OF SECTIONS 21 & 22 IN TOWNSHIP 31 N.R. 1 EAST TMT. MDN. MARROWSTONE PT. MILITARY RESERVATION PARTS OF SECTIONS 8, 9, 16, 17 & 18 IN TOWNSHIP 30 N.R. 1 EAST TMT. MDN. MILITARY RESERVATION AT RICH'S PASSAGE (BEAN POINT, ORCHARD POINT & MIDDLE POINT) SECTION 11 AND PARTS OF SECTIONS 9, 10, 14, 15 & 16 IN TOWNSHIP 24 N.R. 2 EAST TMT. MDN. (Ltr. of Capt. Harry Taylor, Sept. 23, 1898 re t'tg. that action be taken to secure from the State of Wash., title to tide lands adjacent to Mil. Res. at Point Wilson, Admiralty Head, Marrowstone Pt. & Richs Passage - 25547/3

tr 1898 Dr. 103 Sht. 22-1

FORT WARD/BEAN POINT (WASH.)

(DEFENSE OF PUGET SOUND)

(ON BAINBRIDGE ISLAND ON THE RIGHT SIDE OF RICHES PASSAGE)

MAP TITLE & DESCRIPTION	MAP	MAP	FILE NO.
	TYPE	DATE	FORTIFICATION FILE
DEFENSES OF PUGET SOUND RESERVATION AT BEAN POINT. (Ind. of Capt. Harry Taylor, Oct. 19, 1899 rel acquisition of land at Bean Point - 7347/57)	tr	1899	Dr. 103 Sht. 28-2
Ltr. of Capt. Harry Taylor, Sept. 2, 1899:- DEFENSES OF PUGET SOUND AT BEAN PT. RICHES PASSAGE TO PORT ORCHARD NAVAL STA., WASHINGTON. EMPLACEMENTS FOR 3 - 8" B.L. RIFLES MOUNTED ON U.S. DISAPPEARING CARRIAGE, MODEL, 1896. PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. SEPT. 1899.			
GENERAL LOCATION AND ANGLES OF FIRE. - 30457/4	tr	1899	Dr. 103 Sht. 35-1
GENEPAL PLAN - 30457/3	tr	1899	Dr. 103 Sht. 35-2
PLAN AND SECTIONS - 30457/2	tr	1899	Dr. 103 Sht. 35-3
DETAILS OF AMUNITION SERVICE - 30457/1	tr	1899	Dr. 103 Sht. 35-4
Ltr. of Capt. Harry Taylor, Nov. 22, 1899 submtg. plans for 3 emplacements for 5" wire wound R. F. guns at Bean Pt:- DEFENSES OF PUGET SOUND AT BEAN PT. RICHES PASSAGE TO PORT ORCHARD NAVAL STA., WASHINGTON. EMPLACEMENTS FOR 3 - 8" B.L. RIFLES MOUNTED ON U.S. DISAPPEARING CARRIAGE, MODEL, 1896, AND 3 - 5" WIRE WOUND R.F. GUNS ON PEDESTAL MOUNTS. GENERAL LOCATION AND ANGLES OF FIRE PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S. ARMY, BY 1ST. LIEUT. M.L. WALKER, CORPS OF ENGINEERS, U.S.A. NOV. 1899 - 31847/3	tr	1899	Dr. 103 Sht. 37-1
EMPLACEMENTS FOR 3 - 5" WIRE WOUND R.F. GUNS ON PEDESTAL MOUNTS PLAN AND SECTIONS PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S. ARMY, BY 1ST. LIEUT. M. L. WALKER, CORPS OF ENGINEERS, U.S.A. NOV. 1899 - 31847/2	tr	1899	Dr. 103 Sht. 37-2

FORT ~~WARD~~/BEAN POINT (WASH.)

(DEFENSE OF PUGET SOUND)

(ON BAINBRIDGE ISLAND ON THE RIGHT SIDE OF RICH'S PASSAGE)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.
FORTIFICATION FILE			
Ltr. of Capt. Harry Taylor, Dec. 13, 1899 submtg. plans & estimate for two emplacements for 3" - 15 pounder R.F. guns at Bean Pt. & 2 emplacements at Middle Point:-			
DEFENSES OF PUGET SOUND AT BEAN PT. RICH'S PASSAGE TO PORT ORCHARD NAVAL STA., WASHINGTON.			
EMPLACEMENTS FOR 3 - 8" B. L. RIFLES MOUNTED ON U.S. DISAPPEARING CARRIAGE, MODEL, 1896. 3 - 5" WIRE WOUND R.F. GUNS ON PEDESTAL MOUNTS, AND 2 - 3" R.F. GUNS ON BALANCED PILLAR MOUNTS. GENERAL LOCATION AND ANGLES OF FIRE PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. DEC. 1899 - 28651/3	tr	1899	Dr. 103 Sht. 39-1
EMPLACEMENTS FOR 2 - 3" R.F. GUNS ON BALANCED PILLAR MOUNTS. GENERAL PLAN PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S. ARMY BY 1ST. LIEUT. M.L. WALKER, CORPS OF ENGRS. U.S.A. DEC. 1899. - 28651/4	tr	1899	Dr. 103 Sht. 39-2
EMPLACEMENTS FOR 2 - 3" R.F. GUNS ON BALANCED PILLAR MOUNTS PLAN AND SECTIONS PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S. ARMY BY 1ST. LIEUT. M. L. WALKER, CORPS OF ENGRS. U.S.A.	tr	1899	Dr. 103 Sht. 39-3
SHEET C. - PORT ORCHARD, - PUGET SOUND. RICH'S PASSAGE NEW WORKS AT BEAN POINT. PROPOSED BY THE BOARD OF ENGINEERS. JUNE 27, 1895. Report of the Bd. of Engrs. June 27, 1895 on proj. for defense of Puget Sound - 11848/5	tr	1895	Dr. 103 Sht. 71-3

PORT ~~WARD~~ BEAN POINT (WASH.)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FILE
Ltr of Capt. Harry Taylor, Jan. 10, 1900:-				
EMPLACEMENTS FOR 3-6" B.L. RIFLES AT BEAN POINT WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1899 29804/30	tr	1899	Dr. 257 Sht. 23-1	
EMPLACEMENTS FOR 3-5" WIRE TOWED R.F. GUNS AT BEAN POINT WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1899 29804/29	tr	1899	Dr. 257 Sht. 23-2	
Armament Sheet, Dec. 31, 1899 29804/20	pms	1899	Dr. 257 Sht. 23-3	
Ltr of Maj. John Willis, Jan. 2, 1901:-				
EMPLACEMENTS FOR 3 - 6" B.L. RIFLES AT BEAN POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/65	tr	1900	Dr. 257 Sht. 23-4	
EMPLACEMENTS FOR 3-5" WIRE TOWED R.F. GUNS AT BEAN POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/63	tr	1900	Dr. 257 Sht. 23-5	
EMPLACEMENTS FOR 2 - 15 PDR R.F. GUNS AT BEAN POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/67	tr	1900	Dr. 257 Sht. 23-6	
EMPLACEMENTS FOR 4 - 15 PDR R.F. GUNS AT BEAN POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/68	tr	1900	Dr. 257 Sht. 23-7	
Armament Sheet, Dec. 31, 1900 29804/52	pms	1900	Dr. 257 Sht. 23-8	
Ltr of Maj. John Willis, Jan. 2, 1902:-				
AT BEAN POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1901				
EMPLACEMENTS FOR 3-6" B.L. RIFLES 29804/95	tr	1901	Dr. 257 Sht. 23-9	
EMPLACEMENTS FOR 3-5" WIRE TOWED R.F. GUNS 29804/96	tr	1901	Dr. 257 Sht. 23-10	
EMPLACEMENTS FOR 2-15 PDR R.F. GUNS 29804/97	tr	1901	Dr. 257 Sht. 23-11	
EMPLACEMENTS FOR 4 -15 PDR R.F. GUNS 29804/98	tr	1901	Dr. 257 Sht. 23-12	

FORT WARD, BEAN POINT (WASH.)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FILE
ARMAMENT REPORT FOR YEAR ENDING DECEMBER 31, 1901 BEAN POINT, WASH 29804/126	pms	1901	Dr. 257	Sht. 23-1
Rec'd from Maj. John Millis, Jan. 12, 1903:-				
AT BEAN POINT, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1902				
REPLACEMENTS FOR 3-8" B.L. RIFLES 29804/132	tr	1902	Dr. 257	Sht. 23-1
REPLACEMENTS FOR 2-5" TIRE TOWER R.F. GUNS 29804/133	tr	1902	Dr. 257	Sht. 23-2
REPLACEMENTS FOR 2-15 FOR R.F. GUNS 29804/134	tr	1902	Dr. 257	Sht. 23-3
REPLACEMENTS FOR 4-15 FOR R.F. GUNS 29804/135	tr	1902	Dr. 257	Sht. 23-4
ARMAMENT REPORT FOR YEAR ENDING DECEMBER 31, 1902 BEAN POINT, WASH 29804/120	pms	1902	Dr. 257	Sht. 23-5

FORT WARD, MIDDLE POINT AND ORCHARD POINT, Washington

RG 77 War Department Map Collection

102-Washington	Map of military reservations of Ft. Ward, Middle Point, & Orchard Point, Wash.	1:7200	1913
----------------	--	--------	------

FORT WARD, WASHINGTON

RG 92 General - Bound volumes of plans, 1904-05
Filed under U. S.
Size 10 x 15 inches

RG 92
 BLUEPRINT FILE
FORT WARD, WASHINGTON

All items blueprints unless noted.
 Items roughly in chronological order.

List compiled 1991.

1. "Sketch of Portion of Bean Point [Fort Ward], Washington: Showing Present and Proposed Temporary Buildings. 210-5. Jun. 16, 1903. G.S. Bingham, Maj. Quartermasters Office, Seattle, WA. 150 ft.: 1 in." Stamped on reverse Jun. 23, 1903. Shows buildings, roads, wharf, and high tide line. 1 item. 24 x 19 in.
2. "Temporary Buildings for Bean Point [Fort Ward], WA. Jun. 16, 1903. G.S. Bingham, Maj., Quartermasters Office, Seattle, WA." Stamped on reverse Jun. 23, 1903. Annotated to show "plans of additions, repairs, etc. to buildings: also walls; etc. at Bean Point, WA. 1/8" + 1/4":1 ft." Shows elevations, cross sections and floor plans of barracks, hospital, officers quarters, fuel shed, stable and wagon shed, store house, and lavatory. 1 item. 27 x 41 in.
3. "Guard House. 30L. Aug. 1906. Q.M.G.O. 1/4 and 3/4 inch to 1 foot. 5 sheets. 24 x 37 in.; one sheet is 24 x 38 in.
4. "Reservoir of 100,000 Gal. Capacity. Ft. Ward, WA. 3-880. Oct. 1908. Q.M.G.O." Various scales. Shows plan of reservoir and various sectional drawings. 1 item. 24 x 35 in.
5. "Reinforced Concrete Cistern at Ft. Ward, WA. 1-887. Nov. 1908. Q.M.G.O." Various scales. Shows plan of cistern, capacity 30,000 gallons. 1 item. 25 x 20 in.
6. "Contour Map of Fort Ward, WA. Showing road ways and side walks. Aug. 1909. E.C. Long, Capt., QM. USA." Stamped on reverse Nov. 11, 1909. Annotated "Sewer System for Fort Ward. Observing bids Nov. 15, 1909. Dec. 6, 1909 contract awarded to Crossett & Pihers of Seattle, WA. at \$9,047.75." Scale 100 feet to one inch. Shows buildings, parade ground, and high and low tide lines. 1 item. 26 x 34 in.
7. "Details of Sewer System for Fort Ward, WA. Sept. 1909. Scale 3/8"= 1'." Shows sewer plan, sections through outlet and manhole, face of concrete pier, method of connecting inverts, and detail of steps. 1 item. 12 x 21 in.

RG 92
BLUEPRINT FILE
FORT WARD, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991.

8. "Profiles of Six-Inch Mains for Water Distributing System. Fort Ward, WA. Nov. 1909. Hor. Scale 1"=100' and Ver. Scale 1"=6'." Shows proposed settling tank and catch basin at spring, present wrought iron supply pipe, hydrants, gate valves, pump house, and reservoirs of 30,000 and 100,000 gallon capacities. 1 item. 22 x 35 in.
9. "Water System Ft. Ward, WA. Nov. 1909." Shows plans of settling tank and catch basin at spring. Various scales. 1 item. 17 x 24 in.
10. "Sketch Showing Locations of Manholes. Scale 1"=500' approx." Stamped on reverse Nov. 11, 1909. Shows elevations and locations of manholes labelled alphabetically from A to M and shoreline. 1 item. 22 x 48 in.
11. "Plan[s] for Two-Company Post at Fort Ward, WA. Scale 100 ft.=1 inch." Stamped on reverse Feb. 19, 1909 and Dec. 1, 1909. Marked on reverse as Exhibits B & C respectively, Dec. 22, 1909. Show buildings with detailed legend and coal shed. Annotated to show sewer system in yellow lines and circles and water system in black lines and circles. 2 identical annotated items. 30 x 40 in.
12. "Contour Map of Fort Ward, WA. Showing Roadways and Sidewalks. Aug. 1909. E.C. Long, Capt., QM." Stamped on reverse Jan. 31, 1910. Annotated "Fort Ward, WA. for construction of post drain and manhole. Contract was made with Crossett & Piher for \$950: Date of contract Jan. 8, 1910." Shows buildings, parade ground, and high and low tide lines. 100 feet to one inch. 1 item. 26 x 31 in.
13. "Pump House at Fort Ward, WA. 4-975. Feb. 1910. QMGO." Stamped on reverse May 31, 1910. Annotated "Ft. Ward, WA. Mar. 24, 1910. orders issued for inviting of bids for water survey system including 100,000 gallon storage reservoir: 300,000 gallon receiving cistern. Estimated cost \$25,000." Shows floor plan, front and side elevations, sections through pump house, plan of door, section through door, and plan of windows. Various scales. 1 item. 26 x 36 in.

RG 92
BLUEPRINT FILE
FORT WARD, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991.

14. "Fort Ward, WA. 30.L. Aug. 1909. E.C. Long, Capt., QM." Stamped on reverse Sept. 7, 1910. Annotated on front, "Note hereon the exact location of new water system, including pump house, 300,000 gallon tank, valves, hydrants, etc. Also show the present 2" water supply pipe as far as it falls within the limits of this map." Annotated on reverse, "Water system now under construction." Detailed legend. 100 feet to one inch. 1 item. 24 x 33 in.

15. "Additional Sheet Showing Elevation of Ground and Grade of Proposed Buildings at Fort Ward, WA. Mar. 1911. Constructing Quartermasters Office, Seattle, WA. Scale 1"=50'." Stamped on reverse Jun. 15, 1911. Shows administration building, fire station, west end of store house, guard house, QM & COM Storehouse, coal shed, QM Workshop, oil house, stable, and wagon shed. 1 item. 28 x 20 in.

16. "Oil House at [Fort Ward, WA.]. 92.B. Nov. 16, 1897. Q.M.G.O. 1/4 in. [to one foot]." Stamped on reverse Jun. 15, 1911. Shows foundation plan, floor plan, cross-section, and front, side, and rear elevations. 1 item. 22 x 35 in.

17. "Guard House. 30L. Jan. 1910. QMGO." Stamped on reverse Jun. 15, 1911. Annotated, "Plans and specifications pertaining to contract dated May 22, 1911 between Capt. E.C. Long, QM and Ziegler Bros. for constructing specified public buildings (nine) at Fort Ward, WA. ... Contract approved Jun. 9, 1911." Shows basement and prison room floor, section through prison room, wall box for D.I. radiator, and detail of type of bracket to be used in prison room. Various scales. 1 item. 24 x 36 in.

18. "Wagon Shed. [at Fort Ward, WA.]. 60.G. Oct. 1904. QMGO." Stamped on reverse Jun. 15, 1911. Shows floor plan, cross section, front and end elevations, door post, and section through doors. Various scales. 1 item. 24 x 35 in.

RG 92
BLUEPRINT FILE
FORT WARD, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991.

19. "Plan of Coal Shed at [Fort Ward, WA.]." 67-J. Apr. 1905. QMGO. Scale: Plans 1/4 inch = 1:0', Details 1 1/2 inch = 1:0'." Stamped on reverse June. 15, 1911. Shows plan of coal shed, plan of large doors, section through front door, section through rear wall, section through bottom of rear doors and coal chute, section through top of rear doors and roof, cross section, and rear, front, and end elevations. 1 item. 24 x 34 in.

20. "Quartermasters Workshop. 59P. Aug. 1904. QMGO." Sheet 2 stamped on reverse Jun. 15, 1911. Shows foundation plan, first floor plan, side and end elevation, half section through tinner's and plumbers shop, half section through blacksmith shop, truss over carpenter shop, details of windows, detail at sill, window plan, plan of outside doors, section of platform and outside doors, and section at eaves. Various scales. 1 item on 2 sheets, each 24 x 34 in.

21. "Contour Map of Fort Ward, WA. Showing Roadways and Sidewalks. Aug. 1909. E.C. Long, Capt., QM, USA." Stamped on reverse Feb. 29, 1912 and Mar. 6, 1912. Annotated Mar. 8, 1912 by C.R. Mise, "Award made for erecting 75' iron flagstaff at Fort Ward, WA. at location shown. To Mr. Wheaton for file." Shows buildings, parade ground, flagpole, and high and low tide lines. Various scales. 1 item. 26 x 34 in.

22. "Fort Ward, WA. 30.L. Aug. 1909. E.C. Long, Capt., Constructing QM. Photographed Jun. 8, 1910. Corrections to Mar. 15, 1911." Annotated with, "Note: This map has been certified from all data on file in this office and is correct to date so far as this officer is informed. None of the buildings have their Post Nos., supply same. Show all roads, walks, give exact width of same and material used in their construction. Show exact location of each and every building and all walks leading to same. Give sewer, water, drainage systems complete. Show all house construction and size of same. Supply all information that will in your opinion make this map correct to date." Map has a detailed legend and shows contours and high and low tide lines. 100 feet to one inch. 1 item. 24 x 32 in.

RG 92
BLUEPRINT FILE
FORT WARD, WASHINGTON

All items blueprints unless noted.
Items roughly in chronological order.

List compiled 1991.

Hand-written, two-page attachment to this map: "1st Indorsement. Sept. 23, 1912. Office of Constg. Quartermaster. Seattle, WA. ... Instead of correcting the map of Fort Ward, which was forwarded with the within letter, this office has prepared a new map of that post, 2 copies of which are herewith enclosed...."

23. "Fort Ward, WA. Sept. 1912. Constructing Quartermasters Office. Seattle, WA. Scale: 100 feet to the inch. Contour interval: 5 ft. Datum: Low Water." Shows gravel roads, contour lines, low tide line, firemens quarters, NCO quarters, fire house, barracks, bakery, post exchange and gymnasium, administration building, hall, guard house, QM & COM. storehouse, coal shed, QM shop stable, wagon shed, lieutenant's quarters, oil house, laundry, pump house, ordnance store house, engineer's storehouse and office, boardwalk, launch house, and yawl house. 1 item. 27 x 38 in.

24. "Fort Ward, WA. May 1915. Benj. H. Kerfoot, Capt., QM Corps, USA., Const. QM. Office, Fort Worden, WA. Scale-1 in.=100 ft. Contour interval=5 ft." Annotated May 1915 by W. Frank Noot stating that map reflects "Notes and all latest data." Stamped on reverse Jun. 22, 1915. Map shows complete fort with detailed legend and timber line. Inset show a "Reference plan, scale-1 in.=1200'" of Fort Ward in relationship to Bainbridge Island and Puget Sound "consisting of 320-33 acres." 1 item. 33 x 24 in.

FORT CASEY - ADMIRALTY HEAD (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.
RG-77 FORTIFICATION FILE			
TOPOGRAPHICAL MAP OF ADMIRALTY HEAD, WASHINGTON. SURVEYED IN AUGUST 1896. UNDER DIRECTION OF CAPT. HARRY TAYLOR, CORPS OF ENGRS. BY EUGENE RICKSECKER, ASST. ENGR. (Report of Capt. Harry Taylor, Oct. 10, 1896 rel. pur. of tract of 123 acres owned C. F. Kellog estate - 14964/12	tr	1896	Dr. 103 Sht. 4-1
ADMIRALTY HEAD, PUGET SOUND, WASHINGTON. TOPOGRAPHY TAKEN BY ASSISTANT ENGINEER, EUGENE RICKSECKER, UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. DURING AUGUST 1896 (Ltr. of Capt. Harry Taylor, Oct. 4, 1898 - 14964/180)	tr	1896	Dr. 103 Sht. 4-2
Ltr. of Capt. Harry Taylor, Mar. 26, 1897 submtg. plans for battery for 7 - 10" B. L. Rifles Mounted on (appearing carriages:-			
TOPOGRAPHICAL MAP OF ADMIRALTY HEAD, PUGET SOUND, FOR MODIFICATION OF SITE OF 10" BATTERY SEE 16515/17. WASHINGTON. MADE UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. BY ASST. ENGR. EUGENE RICKSECKER, AUGUST 1896. (shows proposed boundary of reservation, position of batteries & existing and proposed lighthouse reservation) - 16515/7	tr	1896	Dr. 103 Sht. 14-1
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET. GENERAL PLAN PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. MARCH 1897.	tr	1897	Dr. 103 Sht. 14-2
GUN EMBLEMMENTS ON ADMIRALTY HEAD. GENERAL PLAN OF BATTERY PLAN AND SECTIONS FOR MODIFICATION OF SITE OF THIS BATTERY SEE 16515/17. PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. MARCH 1897.	tr	1897	Dr. 103 Sht. 14-3
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN EMBLEMMENTS ON ADMIRALTY HEAD. PARTIAL PLAN AND SECTION. (Ltr. of Capt. Harry Taylor, June 5, 1897 - 16515/10)	tr	1897	Dr. 103 Sht. 14-4

FORT CASEY - ADMIRALTY HEAD (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.	FORTIFICATION FILE
PROPOSED CHANGE IN LOCATION OF GUN EMPLACEMENTS OF ADMIRALTY HEAD WASH. PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. OCT. 1897. PROPOSED CHANGE SHOWN IN RED. (Ltr. of Oct. 9, 1897 - 16515/17)	tr	1897	Dr. 103 Sht. 14-5	
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GUN EMPLACEMENTS ON ADMIRALTY HEAD, PARTIAL PLAN SHOWING PROPOSED CHANGES IN ROOMS UNDER PLATFORM. OCT. 1897. (Ltr. of Nov. 1, 1897 - 16515/22)	tr	1897	Dr. 103 Sht. 14-6	
Ltr. of Chief of Engrs. to S/W. Nov. 5, 1897 rel. exchange desired with Treas. Dept. of land at Admiralty Head to remove light house from its existing location desired for defense purposes:-				
Sht. A. Gen. outline map of the locality taken from 103-14-2 (16515/19)	tr	1897	Dr. 103 Sht. 17-1	
Sht. B. Title same as 103-14-1 (Red pencil notes) - 16515/18	bp	1896	Dr. 103 Sht. 17-2	
Sht. C. PROFILES OF ADMIRALTY HEAD, PUGET SOUND. (TAKEN FROM 16515/7) - 16515/20	tr	1897	Dr. 103 Sht. 17-3	
(A topographical map of res. showing position of tracts to be exchanged) (Ltr. of Capt. Harry Taylor, Jan. 9, 1899 - 27720/7)	tr	1899	Dr. 103 Sht. 17-4	
Maps sent to Lighthouse Bd. by Chief of Engrs. by ltr of June 27, 1899 rel. exchange of land at Admiralty Head between War & Treasury Depts.:-				
SHEET A. ADMIRALTY HEAD, PUGET SOUND, WASHINGTON (Shows tracts A & B proposed for Light House Reservations - 27720/13)	bp	1899	Dr. 103 Sht. 17-5	
SHEET B. TOPOGRAPHICAL MAP OF ADMIRALTY HEAD, PUGET SOUND, WASHINGTON. MADE UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. BY ASST. ENGR. EUGENE RICKSECKER, AUGUST 1896. (shows existing Light House reservation at southern extremity of Admiralty Head & location of new Light House Res. as first proposed about midway betwn. northern boundary of U.S. Res. and southern extremity of Admiralty Head. - 27720/14)	bp	1896	Dr. 103 Sht. 17-6	

FORT CASEY - ADMIRALTY HEAD (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.
			FORTIFICATION FILE
Letr. of Treas. Dept., Aug. 26, 1899 accepting lands for Light house reservation at Admiralty Head & transferring to War Dept. maps of old Light house reservation:-			
TOWNSHIP NO. 31 NORTH RANGE NO. 1 EAST WILLAMETTE MERIDIAN. (Certified by Sur. Gen. of Wash. Ty. Nov. 10, 1858) - 27720/44	tr	1858	Dr. 103 Sht. 17-7
FIELD NOTES OF A SURVEY FOR A LIGHT HOUSE RESERVATION AT RED BLUFFS WASHN. TERR'Y. (Certified copy, Nov. 30, 1858 by Special Agent, Wash. Ty. & copied in L. H. Bd. March 1875) 27720/43	tr	1858	Dr. 103 Sht. 17-8
Part copy of Sht. 17-8 - 27720/45	tr	1858	Dr. 103 Sht. 17-9
tr. of Capt. Harry Taylor, Nov. 16, 1897 fwdg. Plans for battery of 16- 12" mortars:-			
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET. GUN EMBLACEMENTS AND MORTAR BATTERY ON ADMIRALTY HEAD GENERAL PLAN OF BATTERIES PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS U.S.A. NOV. 1897. - 16515/24	tr	1897	Dr. 103 Sht. 18-1
GENERAL PLAN OF MORTAR BATTERY ON ADMIRALTY HEAD PLAN AND SECTIONS PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS, U.S.A. NOV. 1897. - 16515/25	tr	1897	Dr. 103 Sht. 18-2
Annual report of Capt. Harry Taylor, for 1898:-			
GENERAL PLAN AND ELEVATION OF SUPPLY AND CONCRETE MIXING PLANT AT ADMIRALTY HEAD, WASHINGTON. JUNE 1898. - 16127/16	tr	1898	Dr. 103 Sht. 23-1
DETAILS OF GRAVEL WASHER & SEPARATOR AT ADMIRALTY HEAD, WASHINGTON, JUNE 1898 - 16127/17	tr	1898	Dr. 103 Sht. 23-2
DETAILS OF CONCRETE MIXER AT ADMIRALTY HEAD, WASH. JUNE 1898. - 16127/18	tr	1898	Dr. 103 Sht. 23-3
DETAILS OF SAND WASHER & SEPARATOR AT ADMIRALTY HEAD, WASH. JUNE 1898 - 16127/19	tr	1898	Dr. 103 Sht. 23-4

FORT CASEY - ADMIRALTY HEAD (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TYPE	MAP DATE	FILE NO.
			FORTIFICATION FILE
Ltr. of Capt. Harry Taylor, July 11, 1898 fwdg. report of operations for month of June 1898 for Fortification & Seacoast Defenses at Puget Sound:-			
Emplacements At Admiralty Head, Wash. General view of battery from rear. June 20, 1899			Transferred to NSP 11/22/57 photo. 1898 Dr. 103 Sht. 25-1
Emplacements at Admiralty Head, Wash. General view of battery from concrete mixer house. Looking north Point Partridge in distance. June 20, 1898.			Transferred to NSP 11/22/57 photo. 1898 Dr. 103 Sht. 25-2
DEFENSES OF PUGET SOUND EMPLACEMENTS FOR 2 - 5" R.F. GUNS, ON BALANCED PILLAR MOUNTS ADMIRALTY HEAD, WASH. PREPARED UNDER DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S. ARMY BY 1ST. LIEUT. L. WALKER, CORPS OF ENGRS. U.S.A. OCT. 1898	tr	1898	Dr. 103 Sht. 26 *
Ltr. of Capt. Harry Taylor, Sept. 22, 1899:-			(see next sheet)
DEFENSES OF PUGET SOUND, WASH. AT ADMIRALTY HEAD PLAN OF ELECTRIC LIGHTS FOR GUN EMPLACEMENTS - 26466/68	tr	1899	Dr. 103 Sht. 36-3
DEFENSES OF PUGET SOUND, WASH. AT ADMIRALTY HEAD PLAN OF ELECTRIC LIGHTS FOR GUN EMPLACEMENTS. - 26466/70	tr	1899	Dr. 103 Sht. 36-4
INFORMATION CONCERNING BATTERIES AT ADMIRALTY HEAD, WASHINGTON. FURNISHED THE BOARD ON LOCATION OF POSITION FINDERS BY CAPTAIN HARRY TAYLOR, CORPS OF ENGINEERS. U.S. ARMY, OCT. 1899. (Report on Bd. on Location of Position Finders, Dec. 15, 1899 - 25126/405)	bp	1899	Dr. 103 Sht. 53-3
ADMIRALTY HEAD MILITARY RESERVATION PARTS OF SECTIONS 21 & 22 IN TOWNSHIP 31 N. R. 1 EAST WMT. MDN. (Title to tide lands at Admiralty Head.)	tr	1899	Dr. 103 Sht. 28-1
DEFENSES OF PUGET SOUND AT ADMIRALTY INLET GENERAL PLAN PREPARED UNDER THE DIRECTION OF CAPTAIN HARRY TAYLOR, CORPS OF ENGRS. U.S.A. MARCH 1897. (Includes Point Wilson, Marrowstone Point, Admiralty ad & other points on Whidbey Island & shows field of fire of guns at Marrowstone Point) - 18549/14	bp	1897	Dr. 103 Sht. 13-2

FORT CASEY - ADMIRALTY HEAD (WASH.)

(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION

MAP
TYPEMAP
DATE

FILE NO.

FORTIFICATION FILE

Ltr. of Capt. Harry Taylor, Nov. 7, 1898:-

DEFENSES OF PUGET SOUND GENERAL MAP OF
 ADMIRALTY INLET SHOWING LOCATION OF ALL GUN BATTERIES
 PROJECTED TO DATE AND FIELDS OF FIRE OF 5" R. F. G.
 BATTERIES. PREPARED UNDER DIRECTION OF CAPTAIN
 HARRY TAYLOR, CORPS OF ENGRS. U.S.A. BY 1ST LIEUT.
 M. L. WALKER, CORPS OF ENGRS. NOV. 1898 (Includes
 Admiralty Head, Pt. Wilson & Marrowstone Pt.) -
 27720/A

tr 1898 Dr. 103 Sht. 26-1

Fort Casey, Washington

Record Group 77, Fortification Map File

Dr. 189

- Wash. 7-1 Description of reservation. Manuscript. Dimensions 13 x 8 inches.
- Wash. 7-2 Description of reservation. Manuscript. Dimensions 13 x 8 inches.
- Wash. 7-3 Map of reservation. Manuscript. Scale 1 inch to 600 feet. Dimensions 13 x 8 inches.
- Wash. 7-4 Same as above. Tracing.
- Wash. 7-5 Map of reservation. Manuscript. Scale 1 inch to 40 chains. Dimensions 13 x 8 inches.
- Wash. 7-6 Same as above. Tracing.
- Wash. 7-7 Description of reservation. Manuscript. Dimensions 13 x 8 inches. Also attached: General Orders of Headquarters of the Army no. 36. Published. Date April 7, 1902. Dimensions 8 x 5 inches. General Orders of War Department no. 29. Published. Date February 4, 1904. Dimensions 8 x 5 inches. General Orders of War Department no. 199. Published. Date November 25, 1905. Dimension 8 x 5 inches, and General Orders of War Department no. 195. Published. Date September 17, 1907. Dimensions 8 x 5 inches.
- Wash. 7-8 Map of reservation. Tracing. Scale 1 inch to 1,000 feet. Dimensions 13 x 8 inches.
- Wash. 7-9 Same as above. Manuscript.
- Wash. 7a-10 Map of reservation. Tracing. Scale 1 inch to 900 feet. Dimensions 13 x 8 inches.
- Wash. 7a-11 Same as above. Manuscript.

FORT CASEY, ADMIRALTY HEAD (WASH.)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FILE
Ltr of Capt. Harvey Taylor, Mar. 16, 1898:-				
EMPLACEMENTS FOR 16-12" MORTARS AT ADMIRALTY HEAD WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1898 29804/9	tr	1898	Dr. 257 Sht. 26-1	
EMPLACEMENTS FOR 7-10" GUNS AT ADMIRALTY HEAD WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1898 29804/8	tr	1898	Dr. 257 Sht. 26-2	
Armament Sheet, Dec. 31, 1898 29804/6	pms	1898	Dr. 257 Sht. 26-3	
Ltr of Capt. Harry Taylor, Jan. 10, 1900:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT POINT WILSON, AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1899 29804/31	tr	1899	Dr. 257 Sht. 26-4	
EMPLACEMENTS FOR 16 - 12" MORTARS AT FORT CASEY, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1899 29804/34	tr	1899	Dr. 257 Sht. 26-5	
EMPLACEMENTS FOR 7 -10" GUNS AT FORT CASEY, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1899 29804/35	tr	1899	Dr. 257 Sht. 26-6	
Armament Sheet, Dec. 31, 1899 29804/25	pms	1899	Dr. 257 Sht. 26-7	
Ltr of Maj. John Millis, Jan. 28, 1901:-				
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT WARDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/64	tr	1900	Dr. 257 Sht. 26-8	
EMPLACEMENTS FOR 16-12" MORTARS AT FORT CASEY WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1900 29804/63	tr	1900	Dr. 257 Sht. 26-9	
EMPLACEMENTS FOR 7-10" GUNS AT FORT CASEY, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1900 29804/62	tr	1900	Dr. 257 Sht. 26-10	
Armament Sheet, Dec. 31, 1900 29804/50	pms	1900	Dr. 257 Sht. 26-11	
Ltr of Maj. John Willis, Jan. 2, 1902:-				
EMPLACEMENTS FOR 7-10" GUNS AT FORT CASEY, WASHINGTON, TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1901 29804/92	tr	1901	Dr. 257 Sht. 26-12	

FORT CASEY, ADMIRALTY HEAD (WASH.)
(DEFENSE OF PUGET SOUND)

MAP TITLE & DESCRIPTION	MAP TITLE	MAP DATE	FILE NO.	FORTIFICATION FILE
EMPLACEMENTS FOR 16-12" MORTARS AT FORT CASEY, WASHINGTON, TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1901 29804/93	tr	1901	Dr. 257 Sht. 26-13	
EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT MORDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1901 29804/94	tr	1901	Dr. 257 Sht. 26-14	
ARMAMENT REPORT FOR YEAR ENDING DECEMBER 31, 1901 FORT CASEY, WASH. 29804/85	pms	1901	Dr. 257 Sht. 26-15	
Rec'd from Maj. John Ellis, Jan. 12, 1903:-				
EMPLACEMENTS FOR 7-10" GUNS AT FORT CASEY, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31, 1902 29804/127	tr	1902	Dr. 257 Sht. 26-16	
EMPLACEMENTS FOR 16-12" MORTARS AT FORT CASEY WASHINGTON ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1902 29804/130	tr	1902	Dr. 257 Sht. 26-17	
6-EMPLACEMENTS FOR 2-5" RAPID FIRE GUNS 2 AT FORT CASEY, 2 AT FORT MORDEN AND 2 AT FORT FLAGLER, WASHINGTON TO ACCOMPANY ARMAMENT REPORT OF DECEMBER 31ST 1902 29804/131	tr	1902	Dr. 257 Sht. 26-18	
ARMAMENT REPORT FOR YEAR ENDING DECEMBER 31, 1902 FORT CASEY WASH 29804/121	pms	1902	Dr. 257 Sht. 26-19	

FORT CASEY, Washington

RG 77 War Department Map Collection

32 ³ -Washington	Topographic map of Fort Casey, Washington	1:2400	ca. 1906
106-	" Reservation map of Fort Casey, Washington	1:7920	1913

FORT CASEY, WASHINGTON

ADDITION OR CORRECTION
This page provides new information not shown when original finding aid microfilmed in 1980

PRELIMINARY LIST: RG 77 Fortifications--W.W.II "Military Files"

Noted below where former Drawer/Sheet nos. replaced by "Mil.File" nos.
Mostly brownline and blueprints, some tracings.

<u>File No.</u>	<u>Contents</u>	<u>No. Items</u>	<u>Dates</u>
6105	<u>Fort Lewis</u> , Washington. Camp Murray. 3 general layouts, approx. 203 "Construction Data Index" lists.	206	1942-45
6141-1050	<u>Fort Myer</u> , Va. Electric Distr. System	1	1942
6167-1082-X	<u>Fort Totten</u> , N.Y. Casements for search-lights.	1	1941
6168	<u>Fort Hamilton</u> (Harbor Defenses of Southern N.Y.) Stations, rooms for batteries.	5	1941-43
6169	<u>Fort Tilden</u> , Long Island, N.Y. (Hbr. Defenses of Sandy Hook). General plan, Battery Harris, M-4 Station/cable hut, fire control cables, TNT storage "igloos," communication diagram, Mine Command (Fts. Tilden and Hancock), oblique aerial photo prints (6169-118)	33	1937-42
6171	<u>Fort Hancock</u> N.J. General plans, batteries, mine casements, 100-ft towers, rooms, training camp, photocopies of 1920-23 plans	25	1940
6175	<u>Fort Caswell</u> Site, Cape Fear entrance, N.C.	1	1940
6180	<u>Fort Scott</u> (Harbor Defenses of San Francisco), mine casements, housing facilities	10	1940
6184	<u>Fort Worden</u> (Harbor Defenses of Puget Sound), General Fortification Map, Layout Plan, stations, latrines, AA installations, "Gpmt. CP1-GCP3", Construction Data Index. [12 plans, 24 Data Index lists] total:	36	1939-45
→ 6185	<u>Fort Casey</u> , Island, Co., Wash. Layout plans (3) and Constr. Data Index lists (9) total:	12	1942
6186	<u>Fort Flagler</u> , Washington. General Layout, Fortification Map, casements, AA batteries, plans (8), Construction Data Index lists (6) total items:	14	1942-43

RG 92
 Blueprint File
FORT CASEY, WASHINGTON

Items roughly in chronological order. List compiled 1989.

1. "[Map of] Fort Casey, Washington to Accompany Report of Board of Officers Convened by Paragraph 1, S.O. 35, Headquarters, Department of the Columbia, February 20th, 1902. Topography by U.S. Engineers." Shows military reservation and surrounding waterways; existing and proposed buildings and roads; fence and timber lines; bridges and wharves; privately owned buildings; contour lines and elevations. 1902. Manuscript, ink on linen. Approx. 1 in. to 300 ft. 1 item. 29 x 36 in.
2. "[Map of] Fort Casey, Wash., Showing Proposed Location of Pipe Line From Spring to Fort Casey. Geo. H. Penrose, Captain and ...Constructing Quartermaster,... Port Townsend, Wash." Shows Whidbey Island, Holmes Harbor, Admiralty Bay, Crockett's Lake, township sections, unnamed lake, names of private landowners. Attached typewritten annotation indicates that map "To Accompany Report of Board of Officers appointed by par. 12, S.O. 250. A.G.O. Oct. 24, 1902, to make a study of the question of supplying Fort Flagler, Fort Worden, and Fort Casey, Wash., with water." Undated; reverse stamped Jan. 17, 1903. Manuscript, ink on linen. 2 in. to 1 mile. 1 item. 22 x 17 in.
3. "Plan of Catch Basin, Fort Casey, Washington. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." Also shows sections and elevation. Jan 14, 1903. Blueprint. 1 1/2 in. to 1 ft. 1 item. 14 x 21 in.
4. "Map of Fort Casey, Washington, Showing Location of Proposed Buildings, Roads and Sewer Lines For Military Post. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." Shows contour lines and elevations, roads, waterways, lines of clearing. Identifies existing buildings. Annotations provide road numbers. Jan. 31, 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 29 x 40 in. or smaller.
5. "Map of Fort Casey, Washington, Showing Location of Proposed Buildings, Roads and Sewer Lines For Military Post. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash., Jan 31, 1903; Amended March 20, 1903." Updates item no. 4. Annotations provide road numbers. 1903; reverse stamped April 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 29 x 40 in. or smaller.

RG 92
 Blueprint File
FORT CASEY, WASHINGTON

Items roughly in chronological order. List compiled 1989.

6. "Map of Fort Casey, Washington, Showing Location of Proposed Buildings, Roads, and Sewer Lines for Military Post. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash., Jan. 31, 1903; Amended March 20, 1903." Same as item no. 5, except penciled out ink annotations on back apparently trace history of sewer system bids. 1903; reverse noted May 4, 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 29 x 37 in. or smaller.
7. "Map of Fort Casey, Washington, Showing Location of Proposed Buildings, Roads, and Sewer Lines for Military Post. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash., Jan 31, 1903: Amended March 20, 1903." Same as item no. 6, except that annotations on reverse provide variant details on history of sewer system bids. 1903; reverse stamped May 14, 1903. Blueprint with annotations. 1 in to 50 ft. 1 item in 2 sections, each 29 x 39 in. or smaller.
8. "Profiles and Grades of Roads, Fort Casey, Wash. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." Feb. 3, 1903. Blueprint. Scales vary. 1 item. 20 x 24 in.
9. "Profiles and Grades of Roads, Fort Casey, Wash. Geo. S. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." Feb. 3, 1903; corrected March 19, 1903. Blueprint. Scales vary. 1 item. 20 x 24 in.
10. "Profiles of Sewer System, Fort Casey, Wash. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." February 3, 1903. Blueprint. Scales vary. 1 item. 19 x 23 in.
11. "Details of Sewer System, Fort Casey, Washington. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." Annotation crosses out grease trap. February 3, 1903. Blueprint with annotation. 3/4 in. to 1 ft. 1 item. 19 x 27 in.

RG 92
 Blueprint File
FORT CASEY, WASHINGTON

Items roughly in chronological order. List compiled 1989.

12. "Profiles of Sewer System, Fort Casey, Washington. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." March 19, 1903. Blueprint. Scales vary. 1 item. 10 x 27 in.

13. "[Plan] Showing Proposed Sewer Lines, Fort Casey, Wash. George H. Penrose, Captain and...Constructing Quartermaster ...Port Townsend, Wash." Shows lines for Officers Quarters, Administration Building, Hospital, and Hospital Stewards Quarters. April 27, 1903. Blueprint. [1 in. to 50 ft.?]. 1 item. 11 x 39 in.

14. "[Standard Plan] 156A [of] Post Exchange at [Ft. Casey, Washington?]." Shows sections, elevations, details, and floor plans. "Ft. Casey, Wash." noted on back of Sheet 1. General instructions to bidders attached. September, 1903; reverse stamped 1904. Blueprint with annotations. Scales vary. 4 items: 3 numbered blueprints, each approx. 24 x 37 in.; 1 attachment, 14 x 8 in.

15. "Map of Fort Casey, Wash., Showing Proposed Location of Granolithic Sidewalks. Geo. H. Penrose, Captain and ...Constructing Quartermaster...Port Townsend, Wash." Shows buildings and roads. Annotations identify locations and types of sidewalk construction. Undated; reverse stamped Oct. 16 and Nov. 10, 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 28 x 37 in. or smaller.

16. "Map of Fort Casey, Wash., Showing Proposed Location of Granolithic Sidewalks. Revised Nov. 4, 1903. Geo. H. Penrose, Captain and...Constructing Quartermaster...Port Townsend, Wash." Same as item 15, except annotations on front and back update construction details. 1903; noted on back December 2, 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 28 x 41 in. or smaller.

17. "[Standard Plan] 132F [of] Boiler & Pump House [at Fort Casey, Washington?]." Shows floor plan, elevations, and section through pump room. "Ft. Casey, Wash" noted on back. Dec., 1904; reverse stamped March 3, 1905. Blueprint with annotation. Scales vary. 1 item. 21 x 37 in.

RG 92
Blueprint File
FORT CASEY, WASHINGTON

Items roughly in chronological order. List compiled 1989.

18. "Map of Fort Casey, Washington, Showing Location of Proposed Water Distributing System. George H. Penrose, Captain and...Constructing Quartermaster,...Port Townsend, Wash." Shows buildings, roads, surrounding waterways. Annotations on reverse provide history of water distributing system project. Undated; reverse stamped Dec. 23, 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 28 x 34 in. or smaller.
19. "Map of Fort Casey, Washington, Showing Location of Proposed Water Distributing System. George H. Penrose, Captain and...Constructing Quartermaster,...Port Townsend, Wash." Same as item 18, except annotations on reverse update history of water distributing system project. Undated; reverse noted Dec. 29, 1903. Blueprint with annotations. 1 in. to 50 ft. 1 item in 2 sections, each 29 x 38 in. or smaller.
20. "Map of Fort Casey, Wash., Showing Proposed Location of Cister[n]s, Connection of Tile Drains From Downspouts and Overflows. Geo. H. Penrose, Capt. &...Constructing Quartermaster, Port Townsend, Wash." Shows buildings, roads, surrounding waterways, plan and section of cistern. Annotation on back cites date and sum of allocated project funds. Undated; reverse stamped Dec., 1903. Blueprint with annotation. 1 item in 2 sections, each 29 x 39 in. or smaller.
21. "[Amended Standard] Plans 68E for 150000 Gallon Steel Tank and Trestle [at Fort Casey, Wash.?]." Includes details. Annotated to modify plan and measurements of trestle. "Ft. Casey, Wash." noted on back. Oct., 1903; reverse stamped March 3, 1905. Blueprint with annotations. Scales vary. 1 item. 27 x 37 in.
22. "Sketch No. 1 Showing Location of 3500 Feet of Proposed Concrete Gutter at Fort Casey, Wash." Shows roads, sidewalks, some buildings, "line of" officers quarters and barracks, parade ground. Annotation shows location of catch basin and drains. Undated; reverse stamped 1908. Blueprint with annotations. 1 in. to 50 ft. 1 item. 26 x 38 in.

23. "Plat Showing Location of Morgue at Fort Casey, Wash." Also shows adjoining roads, buildings, utility lines. Annotations on back give morgue construction funding history. Undated; reverse noted September 18, 1911. Blueprint with annotations. 1 in. to 200 ft. 1 item. 7 x 11 in.

24. "Profile of Proposed Four Inch Cast Iron Water Main and Laterals, Fort Casey, Wash. Drawn Under Direction of R.F. Woods, Capt....Constructing Quartermaster, Office Const. Q.M., Ft. Worden, Wash." Undated; reverse stamped 1914. Blueprint. Scales vary. 1 item. 22 x 35 in.

25. "Plan of Proposed Four Inch Cast Iron Water Main to Replace 6" Wooden Water Main, Connections, etc., Fort Casey, Wash. R.F. Woods, Capt. and...Constructing Quartermaster, Office Constg. Q.M., Fort Worden, Wash. Traced From Blue Print, R.W. Johnson, CE & Supt. Const." Also shows buildings, and roads. April, 1914. Blueprint. 1 item. 16 x 23 in.

26. "[Map of] Fort Casey, Wash. Const. Q.M. Office, Fort Worden, Wash. Map Prepared Under the Direction of Benj. H. Kerfoot, Captain [and]...Const. Q.M. From Q.M. and Engrs. Maps; Also Notes Furnished by Const. Q.M." Shows entire military reservation, with identified boundaries, including the Hampton Tract and Shields Springs additions. Also shows terrain features and lighthouse facilities; surrounding waterways; buildings, roads, and bridges; utilities and utility lines. Provides contour lines and elevations, and township section numbers. Legends and notes provide history of the reservation. April, 1915. Blueprint. 1/2 in. to 100 ft. 1 item. 39 x 27 in.

FORT CASEY, WASHINGTON

RG 92 General - Bound volumes of plans, 1904-05
 Filed under U. S.
 Size 10 x 15 inches